

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101424\
 Data File : VV037855.D
 Acq On : 14 Oct 2024 14:34
 Operator : SY/MD
 Sample : P4378-02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

Signal : TIC: VV037855.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	94	rVB	249807	272292	11.95%	1.626%
2	1.532	146	153	165	rVB	237025	274137	12.03%	1.637%
3	2.060	307	317	330	rBV	493583	711262	31.22%	4.248%
4	3.506	765	767	768	rBV	373	144	0.01%	0.001%
5	3.545	775	779	782	rBV4	988	894	0.04%	0.005%
6	3.651	810	812	816	rBV5	567	454	0.02%	0.003%
7	3.680	820	821	823	rBV2	350	165	0.01%	0.001%
8	3.741	837	840	841	rBV2	348	195	0.01%	0.001%
9	3.799	850	858	896	rBV	99377	299801	13.16%	1.791%
10	4.243	979	996	1029	rBV	374583	957526	42.03%	5.719%
11	4.596	1103	1106	1108	rBV2	753	427	0.02%	0.003%
12	4.670	1127	1129	1130	rBV2	323	108	0.00%	0.001%
13	4.715	1141	1143	1144	rBV	348	169	0.01%	0.001%
14	4.809	1170	1172	1173	rBV2	595	275	0.01%	0.002%
15	4.886	1194	1196	1197	rBV2	236	55	0.00%	0.000%
16	4.947	1197	1215	1247	rBV2	890986	2278016	100.00%	13.605%
17	5.529	1385	1396	1435	rBV	710934	1454634	63.86%	8.688%
18	5.982	1525	1537	1563	rBV	501462	1053100	46.23%	6.290%
19	6.355	1651	1653	1658	rVB4	616	504	0.02%	0.003%
20	6.407	1667	1669	1671	rBV2	651	266	0.01%	0.002%
21	6.423	1673	1674	1676	rBV	398	142	0.01%	0.001%
22	6.493	1691	1696	1697	rBV3	682	463	0.02%	0.003%
23	6.510	1697	1701	1703	rVV2	526	405	0.02%	0.002%
24	6.564	1716	1718	1723	rVB4	681	373	0.02%	0.002%
25	6.606	1729	1731	1733	rVB2	431	141	0.01%	0.001%
26	6.616	1733	1734	1735	rVB	363	70	0.00%	0.000%
27	6.638	1738	1741	1742	rBV	214	141	0.01%	0.001%
28	6.651	1742	1745	1746	rBV2	367	189	0.01%	0.001%
29	6.706	1758	1762	1765	rBV3	723	686	0.03%	0.004%
30	6.744	1771	1774	1776	rVB2	464	215	0.01%	0.001%
31	6.767	1778	1781	1785	rVB4	877	686	0.03%	0.004%
32	6.789	1785	1788	1792	rVB4	877	580	0.03%	0.003%
33	6.809	1792	1794	1796	rBV4	1023	526	0.02%	0.003%
34	6.908	1813	1825	1855	rBV	254886	496352	21.79%	2.964%
35	7.236	1916	1927	1949	rBV	1002900	1775094	77.92%	10.602%
36	7.551	2016	2025	2062	rBV2	170119	333853	14.66%	1.994%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101424\
 Data File : VV037855.D
 Acq On : 14 Oct 2024 14:34
 Operator : SY/MD
 Sample : P4378-02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.911	2131	2137	2141	rBV7	1269	1309	0.06%	0.008%
38	7.963	2151	2153	2156	rBV3	796	453	0.02%	0.003%
39	8.024	2164	2172	2205	rBV3	297143	660885	29.01%	3.947%
40	8.616	2354	2356	2363	rVB6	1066	980	0.04%	0.006%
41	8.728	2384	2391	2392	rBV3	804	823	0.04%	0.005%
42	8.780	2396	2407	2437	rBV	1093277	1830922	80.37%	10.935%
43	9.210	2536	2541	2544	rBV4	1207	1180	0.05%	0.007%
44	9.230	2544	2547	2549	rBV	915	504	0.02%	0.003%
45	9.291	2565	2566	2568	rBV	487	270	0.01%	0.002%
46	9.304	2568	2570	2572	rVB4	713	286	0.01%	0.002%
47	9.374	2590	2592	2593	rBV2	273	87	0.00%	0.001%
48	9.397	2598	2599	2602	rBV2	660	447	0.02%	0.003%
49	9.432	2607	2610	2611	rBV	682	441	0.02%	0.003%
50	9.558	2647	2649	2651	rBV	324	175	0.01%	0.001%
51	9.567	2651	2652	2654	rVV	588	189	0.01%	0.001%
52	9.590	2656	2659	2662	rVV2	1070	496	0.02%	0.003%
53	9.612	2664	2666	2669	rVV2	359	177	0.01%	0.001%
54	9.693	2688	2691	2694	rBV3	794	528	0.02%	0.003%
55	9.760	2710	2712	2714	rVB2	427	163	0.01%	0.001%
56	9.783	2714	2719	2723	rVB4	926	671	0.03%	0.004%
57	9.802	2723	2725	2728	rBV4	683	477	0.02%	0.003%
58	9.850	2736	2740	2745	rVB4	662	569	0.02%	0.003%
59	9.886	2745	2751	2755	rBV5	959	947	0.04%	0.006%
60	9.902	2755	2756	2761	rVB4	568	422	0.02%	0.003%
61	9.963	2771	2775	2778	rBV3	897	751	0.03%	0.004%
62	10.005	2784	2788	2791	rBV4	1219	849	0.04%	0.005%
63	10.034	2795	2797	2799	rBV2	393	194	0.01%	0.001%
64	10.046	2799	2801	2804	rBV2	501	280	0.01%	0.002%
65	10.082	2811	2812	2813	rBV	372	108	0.00%	0.001%
66	10.098	2813	2817	2819	rVV	828	677	0.03%	0.004%
67	10.146	2821	2832	2861	rVV	589859	952459	41.81%	5.689%
68	10.365	2898	2900	2901	rBV2	453	234	0.01%	0.001%
69	10.477	2931	2935	2942	rVB4	1375	1413	0.06%	0.008%
70	10.570	2962	2964	2966	rBV2	678	333	0.01%	0.002%
71	10.612	2975	2977	2978	rBV	336	122	0.01%	0.001%
72	10.641	2984	2986	2988	rBV2	655	307	0.01%	0.002%
73	10.760	3020	3023	3024	rBV2	500	210	0.01%	0.001%
74	10.776	3024	3028	3029	rBV	1051	651	0.03%	0.004%
75	10.828	3040	3044	3046	rBV2	310	183	0.01%	0.001%
76	10.953	3081	3083	3085	rBV	550	219	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101424\
 Data File : VV037855.D
 Acq On : 14 Oct 2024 14:34
 Operator : SY/MD
 Sample : P4378-02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

77	11.027	3104	3106	3109	rVB2	605	163	0.01%	0.001%
78	11.095	3125	3127	3129	rVB2	236	94	0.00%	0.001%
79	11.111	3129	3132	3134	rBV2	314	212	0.01%	0.001%
80	11.130	3136	3138	3140	rBV	506	298	0.01%	0.002%
81	11.178	3142	3153	3193	rBV	1053263	1678918	73.70%	10.027%
82	11.554	3257	3270	3300	rBV	1045891	1683866	73.92%	10.057%
83	12.008	3408	3411	3415	rBV3	735	603	0.03%	0.004%
84	12.252	3485	3487	3490	rBV3	631	317	0.01%	0.002%
85	12.381	3525	3527	3528	rBV	620	317	0.01%	0.002%
86	12.416	3534	3538	3539	rBV3	656	498	0.02%	0.003%
87	13.262	3795	3801	3802	rBV2	966	940	0.04%	0.006%
88	13.664	3923	3926	3928	rBV	726	465	0.02%	0.003%




Sum of corrected areas: 16743422

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101424\
Data File : VV037855.D
Acq On : 14 Oct 2024 14:34
Operator : SY/MD
Sample : P4378-02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101424\
Data File : VV037855.D
Acq On : 14 Oct 2024 14:34
Operator : SY/MD
Sample : P4378-02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101424\
Data File : VV037855.D
Acq On : 14 Oct 2024 14:34
Operator : SY/MD
Sample : P4378-02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
