

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101518\
 Data File : VV008277.D
 Acq On : 15 Oct 2018 16:18
 Operator : SY/MD
 Sample : VV1015WBL01
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK67

Manual Integrations
 APPROVED

anatel

Quant Time: Oct 16 05:39:41 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR101518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 16 05:17:07 2018
 Response via : Initial Calibration

10/19/2018 4:51:30 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	177914	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	159636	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	66620	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	46006	4.58	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.60%
7) Chloroethane-d5	1.58	69	35354	4.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.20%
11) 1,1-Dichloroethene-d2	2.13	63	65413	3.39	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.80%
20) 2-Butanone-d5	3.98	46	149555m	44.35	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.70%
24) Chloroform-d	4.41	84	98493	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	5.09	65	50459	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.60%
32) Benzene-d6	5.10	84	219348	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.60%
36) 1,2-Dichloropropane-d6	6.12	67	73765	4.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.60%
41) Toluene-d8	7.36	98	200042	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.20%
43) trans-1,3-Dichloropropene-	7.67	79	27650	4.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.40%
46) 2-Hexanone-d5	8.14	63	102294	45.58	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.16%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	42395	4.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.80%
64) 1,2-Dichlorobenzene-d4	11.68	152	60069	4.75	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101518\
Data File : VV008277.D
Acq On : 15 Oct 2018 16:18
Operator : SY/MD
Sample : VV1015WBL01
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK67

Manual Integrations
APPROVED

anatel

Quant Time: Oct 16 05:39:41 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR101518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 16 05:17:07 2018
Response via : Initial Calibration

10/19/2018 4:51:30 PM

