

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101518\
 Data File : VV008279.D
 Acq On : 15 Oct 2018 17:18
 Operator : SY/MD
 Sample : J5407-01
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CWJS2

Quant Time: Oct 19 16:12:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR101518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 16 05:17:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	76545	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	68120	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	26392	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	21130	4.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.60%
7) Chloroethane-d5	1.58	69	14748	4.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.40%
11) 1,1-Dichloroethene-d2	2.14	63	29180	3.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.40%
20) 2-Butanone-d5	3.96	46	67234	46.34	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.68%
24) Chloroform-d	4.41	84	40963	4.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.80%
26) 1,2-Dichloroethane-d4	5.09	65	20902	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
32) Benzene-d6	5.10	84	90432	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.40%
36) 1,2-Dichloropropane-d6	6.13	67	31026	4.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.20%
41) Toluene-d8	7.36	98	79964	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.20%
43) trans-1,3-Dichloropropene-	7.67	79	11709	4.29	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.80%
46) 2-Hexanone-d5	8.14	63	39909	41.67	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.34%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	18875	4.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.40%
64) 1,2-Dichlorobenzene-d4	11.68	152	22893	4.57	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.40%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	3.96	96	64121	10.039 ug/L	# 98
34) Trichloroethene	5.96	95	658952	103.586 ug/L	98
47) Tetrachloroethene	8.02	164	2993	0.751 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101518\
Data File : VV008279.D
Acq On : 15 Oct 2018 17:18
Operator : SY/MD
Sample : J5407-01
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
CWJS2

Quant Time: Oct 19 16:12:08 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR101518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 16 05:17:07 2018
Response via : Initial Calibration

