

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101519\
 Data File : VV013164.D
 Acq On : 15 Oct 2019 14:18
 Operator : SY/MD
 Sample : K5262-16
 Misc : 5.00ML/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK02

Quant Time: Oct 15 19:15:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 18:13:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	805455	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	779572	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	325196	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	272189	53.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	106.92%
7) Chloroethane-d5	1.58	69	222119	53.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	106.44%
11) 1,1-Dichloroethene-d2	2.13	63	371734	38.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.42%
21) 2-Butanone-d5	3.93	46	330313	86.29	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.29%
24) Chloroform-d	4.40	84	472881	48.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.50%
26) 1,2-Dichloroethane-d4	5.08	65	304679	50.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.86%
32) Benzene-d6	5.10	84	1025722	49.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.64%
36) 1,2-Dichloropropane-d6	6.11	67	321147	49.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.56%
41) Toluene-d8	7.36	98	883750	47.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.96%
43) trans-1,3-Dichloropropene-	7.66	79	128623	43.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.14%
47) 2-Hexanone-d5	8.13	63	175837	67.82	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	67.82%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	338503	40.25	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	80.50%
64) 1,2-Dichlorobenzene-d4	11.67	152	341795	53.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.30%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101519\
Data File : VV013164.D
Acq On : 15 Oct 2019 14:18
Operator : SY/MD
Sample : K5262-16
Misc : 5.00ML/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK02

Quant Time: Oct 15 19:15:47 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 18:13:27 2019
Response via : Initial Calibration

