

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101520\
 Data File : VV018915.D
 Acq On : 15 Oct 2020 17:03
 Operator : SY/MD
 Sample : L4382-06
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG400

Quant Time: Oct 16 23:44:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 16 08:38:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	324840	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	323692	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	151763	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	128877	48.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.40%
7) Chloroethane-d5	1.58	69	102320	48.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.60%
11) 1,1-Dichloroethene-d2	2.12	63	187440	37.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.26%
21) 2-Butanone-d5	3.91	46	173966	93.34	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.34%
24) Chloroform-d	4.38	84	225239	46.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.76%
26) 1,2-Dichloroethane-d4	5.06	65	157470	49.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.76%
32) Benzene-d6	5.07	84	456341	48.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.58%
36) 1,2-Dichloropropane-d6	6.09	67	149824	49.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.18%
41) Toluene-d8	7.34	98	401664	47.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.76%
43) trans-1,3-Dichloropropene-	7.64	79	68351	46.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.56%
47) 2-Hexanone-d5	8.11	63	94857	84.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.52%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	153294	43.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.58%
64) 1,2-Dichlorobenzene-d4	11.65	152	161802	52.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.80%

Target Compounds					Ovalue
13) Acetone	2.19	43	5897	4.330 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101520\
Data File : VV018915.D
Acq On : 15 Oct 2020 17:03
Operator : SY/MD
Sample : L4382-06
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG400

Quant Time: Oct 16 23:44:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 16 08:38:45 2020
Response via : Initial Calibration

