

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101520\
 Data File : VV018924.D
 Acq On : 15 Oct 2020 20:35
 Operator : SY/MD
 Sample : L4382-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG401

Quant Time: Oct 16 12:45:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 16 08:38:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	325094	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	320043	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	150908	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	124710	46.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.20%
7) Chloroethane-d5	1.58	69	101417	47.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.66%
11) 1,1-Dichloroethene-d2	2.12	63	181548	35.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.88%
21) 2-Butanone-d5	3.92	46	174374	93.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.48%
24) Chloroform-d	4.38	84	223960	46.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.16%
26) 1,2-Dichloroethane-d4	5.06	65	156089	48.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.82%
32) Benzene-d6	5.07	84	452118	48.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.78%
36) 1,2-Dichloropropane-d6	6.09	67	146721	49.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.24%
41) Toluene-d8	7.34	98	395316	47.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.32%
43) trans-1,3-Dichloropropene-	7.64	79	66218	45.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.70%
47) 2-Hexanone-d5	8.11	63	89163	80.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	80.35%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	141060	40.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	80.58%
64) 1,2-Dichlorobenzene-d4	11.65	152	158802	51.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.44%


Target Compounds					Ovalue
13) Acetone	2.20	43	4573	3.355 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101520\
Data File : VV018924.D
Acq On : 15 Oct 2020 20:35
Operator : SY/MD
Sample : L4382-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG401

Quant Time: Oct 16 12:45:29 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 16 08:38:45 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.355 ug/L
 RT: 2.20 min Scan# 345
 Delta R.T. 0.01 min
 Lab File: VV018924.D
 Acq: 15 Oct 2020 20:35

Instrument :
 MSVOA_V
 ClientSampleId :
 BG401

Tot Ion: 43 Resp: 4573
 Ion Ratio Lower Upper
 43 100
 58 24.7 0.0 58.8

