

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101620\
 Data File : VV018939.D
 Acq On : 16 Oct 2020 16:02
 Operator : SY/MD
 Sample : L4426-07
 Misc : 5.0ml/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG411

Quant Time: Oct 17 06:23:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 17 05:56:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	291967	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	287695	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	135142	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	100990	42.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.04%
7) Chloroethane-d5	1.58	69	84939	44.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.22%
11) 1,1-Dichloroethene-d2	2.12	63	157608	34.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.48%
21) 2-Butanone-d5	3.90	46	129464	77.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	77.28%
24) Chloroform-d	4.37	84	171861	39.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	79.60%
26) 1,2-Dichloroethane-d4	5.05	65	122707	42.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.62%
32) Benzene-d6	5.07	84	343119	40.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	81.70%
36) 1,2-Dichloropropane-d6	6.09	67	108424	40.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	80.76%
41) Toluene-d8	7.33	98	298286	39.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.18%#
43) trans-1,3-Dichloropropene-	7.64	79	51840	39.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.98%
47) 2-Hexanone-d5	8.11	63	65324	65.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	65.48%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	105210	33.43	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	66.86%
64) 1,2-Dichlorobenzene-d4	11.65	152	122474	44.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.08%

Target Compounds					Ovalue
13) Acetone	2.18	43	3995	3.264 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101620\
Data File : VV018939.D
Acq On : 16 Oct 2020 16:02
Operator : SY/MD
Sample : L4426-07
Misc : 5.0ml/MSV0A V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG411

Quant Time: Oct 17 06:23:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 17 05:56:05 2020
Response via : Initial Calibration

