

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101620\
 Data File : VV018942.D
 Acq On : 16 Oct 2020 17:14
 Operator : SY/MD
 Sample : L4382-18
 Misc : 5.0ml/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG410

Quant Time: Oct 17 06:36:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 17 05:56:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	300384	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	298324	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	139075	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	112560	45.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.04%
7) Chloroethane-d5	1.58	69	95715	48.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.72%
11) 1,1-Dichloroethene-d2	2.12	63	178327	38.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.40%
21) 2-Butanone-d5	3.90	46	153011	88.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.78%
24) Chloroform-d	4.38	84	200250	45.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.14%
26) 1,2-Dichloroethane-d4	5.06	65	143403	48.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.26%
32) Benzene-d6	5.08	84	398403	45.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.50%
36) 1,2-Dichloropropane-d6	6.09	67	128612	46.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.38%
41) Toluene-d8	7.34	98	351902	45.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.08%
43) trans-1,3-Dichloropropene-	7.64	79	60165	44.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.40%
47) 2-Hexanone-d5	8.11	63	79364	76.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	76.72%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	125634	38.50	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	77.00%
64) 1,2-Dichlorobenzene-d4	11.65	152	143529	50.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.46%


Target Compounds					Ovalue
13) Acetone	2.19	43	4748	3.770 ug/L	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101620\
Data File : VV018942.D
Acq On : 16 Oct 2020 17:14
Operator : SY/MD
Sample : L4382-18
Misc : 5.0ml/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG410

Quant Time: Oct 17 06:36:57 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 17 05:56:05 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.770 ug/L
 RT: 2.19 min Scan# 341
 Delta R.T. 0.01 min
 Lab File: VV018942.D
 Acq: 16 Oct 2020 17:14

Instrument :
 MSVOA_V
 ClientSampleId :
 BG410

Tot Ion: 43 Resp: 4748
 Ion Ratio Lower Upper
 43 100
 58 11.9 0.0 58.8

