

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101620\
 Data File : VV018949.D
 Acq On : 16 Oct 2020 20:00
 Operator : SY/MD
 Sample : L4426-01ME
 Misc : 5.98g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3Y3ME

Quant Time: Oct 17 07:15:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 17 05:56:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	316928	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	315849	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	145992	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	109651	42.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.06%
7) Chloroethane-d5	1.58	69	90931	43.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.98%
11) 1,1-Dichloroethene-d2	2.12	63	172791	35.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.18%
21) 2-Butanone-d5	3.90	46	167333	92.02	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.02%
24) Chloroform-d	4.37	84	213586	45.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.14%
26) 1,2-Dichloroethane-d4	5.06	65	150922	48.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.02%
32) Benzene-d6	5.07	84	426482	46.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.50%
36) 1,2-Dichloropropane-d6	6.09	67	141553	48.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.02%
41) Toluene-d8	7.34	98	375499	45.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.80%
43) trans-1,3-Dichloropropene-	7.64	79	62938	43.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.36%
47) 2-Hexanone-d5	8.11	63	90568	82.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	82.70%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	143690	41.59	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.18%
64) 1,2-Dichlorobenzene-d4	11.65	152	150525	50.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.36%


Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	31095	15.802 ug/L	98




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101620\
Data File : VV018949.D
Acq On : 16 Oct 2020 20:00
Operator : SY/MD
Sample : L4426-01ME
Misc : 5.98g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3Y3ME

Quant Time: Oct 17 07:15:03 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 17 05:56:05 2020
Response via : Initial Calibration





#46

Tetrachloroethene

Concen: 15.802 ug/L

RT: 8.00 min Scan# 2148

Delta R.T. 0.00 min

Lab File: VV018949.D

Acq: 16 Oct 2020 20:00

Instrument :

MSVOA_V

ClientSampleId :

BG3Y3ME

Tot Ion:164 Resp: 31095

Ion Ratio Lower Upper

164 100

129 98.8 65.0 120.8

131 89.8 62.9 116.7

166 129.0 91.1 169.3

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

