

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV101822\
 Data File : VV028623.D
 Acq On : 18 Oct 2022 19:12
 Operator : SY/MD
 Sample : N5173-07
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFXT6

Manual Integrations
 APPROVED

Reviewed By : John Carlone 10/19/2022
 Supervised By : Mahesh Dadoda 10/21/2022

Quant Time: Oct 19 00:41:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR101422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Oct 19 00:35:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	178219	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	165964	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.243	152	71034	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	58133	3.790	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.800%
7) Chloroethane-d5	1.558	69	56655	4.493	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.800%
11) 1,1-Dichloroethene-d2	2.095	63	87192	3.139	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.800%
20) 2-Butanone-d5	3.928	46	137037m	41.560	ug/L	0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.120%
24) Chloroform-d	4.339	84	104621	4.455	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.000%
26) 1,2-Dichloroethane-d4	5.027	65	54090	4.419	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.400%
32) Benzene-d6	5.043	84	201159	3.754	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.000%
36) 1,2-Dichloropropane-d6	6.066	67	71802	4.152	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.000%
41) Toluene-d8	7.310	98	161179	3.796	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.000%
43) trans-1,3-Dichloroprop...	7.619	79	17939	3.071	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	61.400%
46) 2-Hexanone-d5	8.088	63	99794	39.577	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.160%
56) 1,1,2,2-Tetrachloroeth...	10.210	84	45843	4.451	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.000%
66) 1,2-Dichlorobenzene-d4	11.616	152	53599	4.573	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.400%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV101822\
Data File : VV028623.D
Acq On : 18 Oct 2022 19:12
Operator : SY/MD
Sample : N5173-07
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFXT6

Quant Time: Oct 19 00:41:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR101422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Oct 19 00:35:12 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 10/19/2022
Supervised By :Mahesh Dadoda 10/21/2022

