

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101920\
 Data File : VV018975.D
 Acq On : 19 Oct 2020 17:09
 Operator : SY/MD
 Sample : VIBLK64
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK64

Quant Time: Oct 20 02:36:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 20 01:05:12 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	327386	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	306516	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	142520	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	103594	38.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.88%
7) Chloroethane-d5	1.58	69	95967	44.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.90%
11) 1,1-Dichloroethene-d2	2.12	63	166193	32.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.34%
21) 2-Butanone-d5	3.91	46	171977	91.55	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.55%
24) Chloroform-d	4.38	84	216377	44.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.38%
26) 1,2-Dichloroethane-d4	5.06	65	151118	47.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.04%
32) Benzene-d6	5.08	84	433863	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.98%
36) 1,2-Dichloropropane-d6	6.09	67	142735	49.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.78%
41) Toluene-d8	7.34	98	348613	43.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.86%
43) trans-1,3-Dichloropropene-	7.64	79	54843	39.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.44%
47) 2-Hexanone-d5	8.11	63	80359	75.61	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.61%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	130630	38.96	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	77.92%
64) 1,2-Dichlorobenzene-d4	11.65	152	143213	49.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.78%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	1448	0.758 ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101920\
Data File : VV018975.D
Acq On : 19 Oct 2020 17:09
Operator : SY/MD
Sample : VIBLK64
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK64

Quant Time: Oct 20 02:36:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101420WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 20 01:05:12 2020
Response via : Initial Calibration

