


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102021\
Data File : VV022933.D
Acq On : 20 Oct 2021 15:42
Operator : SY/MD
Sample : M4200-06
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFGF1

Manual Integrations
APPROVED

MMDadoda
10/22/2021 11:29:08 AM

Quant Time: Oct 21 02:46:18 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Oct 21 02:43:59 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102021\
 Data File : VV022933.D
 Acq On : 20 Oct 2021 15:42
 Operator : SY/MD
 Sample : M4200-06
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFGF1

Manual Integrations
 APPROVED

MMDadoda
 10/22/2021 11:29:08 AM

Quant Time: Oct 21 02:46:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Oct 21 02:43:59 2021
 Response via : Initial Calibration



TIC: VV022933.D\data.ms

(13) Acetone (T)

2.397min (+ 0.212) 966.21 ug/L

response 1200713

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	12.10	0.14
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102021\
Data File : VV022933.D
Acq On : 20 Oct 2021 15:42
Operator : SY/MD
Sample : M4200-06
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFGF1

Manual Integrations
APPROVED

MMDadoda
10/22/2021 11:29:08 AM

Quant Time: Oct 21 02:46:18 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Oct 21 02:43:59 2021
Response via : Initial Calibration



TIC: VV022933.D\data.ms

(13) Acetone (T)

2.188min (+ 0.003) 15.15 ug/L m

response 18829

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	12.10	9.16
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102021\
 Data File : VV022933.D
 Acq On : 20 Oct 2021 15:42
 Operator : SY/MD
 Sample : M4200-06
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFGF1

Manual Integrations
 APPROVED

MMDadoda
 10/22/2021 11:29:08 AM

Quant Time: Oct 21 02:46:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Oct 21 02:43:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	123536	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	127992	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	60766	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	31663	3.725	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	74.600%	
7) Chloroethane-d5	1.568	69	26619	3.485	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	69.800%	
11) 1,1-Dichloroethene-d2	2.108	63	44172	2.649	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	53.000%#	
20) 2-Butanone-d5	3.899	46	99847	44.803	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	89.600%	
24) Chloroform-d	4.352	84	89893	5.132	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.600%	
26) 1,2-Dichloroethane-d4	5.037	65	42468	4.996	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	100.000%	
32) Benzene-d6	5.050	84	174993	4.593	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.800%	
36) 1,2-Dichloropropane-d6	6.072	67	56575	5.014	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	100.200%	
41) Toluene-d8	7.317	98	140500	4.266	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.400%	
43) trans-1,3-Dichloroprop...	7.625	79	16798	4.488	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	89.800%	
46) 2-Hexanone-d5	8.092	63	87669	58.117	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	116.240%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	41136	5.381	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	107.600%	
66) 1,2-Dichlorobenzene-d4	11.625	152	61483	5.457	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	109.200%	
Target Compounds						
13) Acetone	2.188	43	18829m	15.152	ug/L	Qvalue
42) Toluene	7.394	91	23205	0.663	ug/L	95
52) Ethylbenzene	9.018	91	2675	0.075	ug/L	85
53) m,p-xylene	9.146	106	3535	0.254	ug/L	94
54) o-xylene	9.545	106	1188	0.091	ug/L	71
63) 1,2,4-Trimethylbenzene	10.921	105	1704	0.068	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed