

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102022\
 Data File : VV028642.D
 Acq On : 20 Oct 2022 18:10
 Operator : SY/MD
 Sample : N5216-02
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BHA59

Quant Time: Oct 21 01:13:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102022WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 21 00:53:32 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	160108	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	154554	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.243	152	66724	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	85331	5.383	ug/L	0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	107.600%
7) Chloroethane-d5	1.565	69	68802	5.522	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.400%
11) 1,1-Dichloroethene-d2	2.102	63	122793	4.458	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	89.200%
20) 2-Butanone-d5	3.905	46	75914	25.445	ug/L	-0.05
Spiked Amount	50.000	Range	40 - 130	Recovery	=	50.880%
24) Chloroform-d	4.339	84	109755	4.668	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.400%
26) 1,2-Dichloroethane-d4	5.027	65	52997	4.162	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.200%
32) Benzene-d6	5.043	84	229953	3.420	ug/L	0.01
Spiked Amount	5.000	Range	70 - 125	Recovery	=	68.400%#
36) 1,2-Dichloropropane-d6	6.066	67	74416	3.529	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	70.600%
41) Toluene-d8	7.310	98	195691	4.024	ug/L	0.01
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.400%
43) trans-1,3-Dichloroprop...	7.619	79	18138	3.543	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	70.800%
46) 2-Hexanone-d5	8.092	63	92264	43.411	ug/L	-0.01
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.820%
56) 1,1,2,2-Tetrachloroeth...	10.211	84	45122	4.530	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.600%
66) 1,2-Dichlorobenzene-d4	11.616	152	57403	4.786	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.800%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102022\
Data File : VV028642.D
Acq On : 20 Oct 2022 18:10
Operator : SY/MD
Sample : N5216-02
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BHA59

Quant Time: Oct 21 01:13:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102022WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 21 00:53:32 2022
Response via : Initial Calibration

