

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW102023\
 Data File : VW032525.D
 Acq On : 20 Oct 2023 15:28
 Operator : SY/MD
 Sample : 04903-17
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Oct 20 23:07:20 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 20 23:03:10 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.538	114	85605	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	97784	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	44077	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	29931	4.299	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	86.000%	
7) Chloroethane-d5	1.532	69	29105	5.150	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	103.000%	
11) 1,1-Dichloroethene-d2	2.059	65	12254	4.173	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	83.400%	
20) 2-Butanone-d5	3.809	46	86684	49.219	ug/L	-0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	98.440%	
24) Chloroform-d	4.255	84	56797	4.624	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.400%	
26) 1,2-Dichloroethane-d4	4.950	65	32431	5.575	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	111.400%	
32) Benzene-d6	4.963	84	110504	3.841	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	76.800%	
36) 1,2-Dichloropropane-d6	5.992	67	36821	3.862	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	77.200%	
41) Toluene-d8	7.249	98	94896	3.607	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	72.200%	
43) trans-1,3-Dichloroprop...	7.561	79	13586	4.022	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.400%	
46) 2-Hexanone-d5	8.030	63	70770	44.526	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	89.060%	
56) 1,1,2,2-Tetrachloroeth...	10.156	84	31637	4.745	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	94.800%	
66) 1,2-Dichlorobenzene-d4	11.564	152	36237	4.430	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	88.600%	
Target Compounds						
37) 1,2-Dichloropropane	5.995	63	4796	0.521	ug/L #	90
61) 1,2,3-Trichloropropane	11.188	75	5985	1.276	ug/L #	64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102023\
Data File : VV032525.D
Acq On : 20 Oct 2023 15:28
Operator : SY/MD
Sample : 04903-17
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Oct 20 23:07:20 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 20 23:03:10 2023
Response via : Initial Calibration





#37

1,2-Dichloropropane

Concen: 0.521 ug/L

RT: 5.995 min Scan# 11

Delta R.T. -0.100 min

Lab File: VV032525.D

Acq: 20 Oct 2023 15:28

Instrument :

MSVOA_V





ClientSampleId :

Tgt Ion: 63 Resp: 4796

Ion Ratio Lower Upper

63 100

112 0.9 3.4 5.2#



#61

1,2,3-Trichloropropane

Concen: 1.276 ug/L

RT: 11.188 min Scan# 3156

Delta R.T. 0.974 min

Lab File: VV032525.D

Acq: 20 Oct 2023 15:28

Tgt Ion: 75 Resp: 5985

Ion Ratio Lower Upper

75 100

77 37.5 26.2 39.2

110 2.5 30.6 46.0#

