

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102023\
 Data File : VV032551.D
 Acq On : 21 Oct 2023 02:45
 Operator : SY/MD
 Sample : 04993-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AT5

Quant Time: Oct 23 03:00:03 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 21 02:44:24 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	72908	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	86153	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	38874	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	23648	3.988	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	79.800%	
7) Chloroethane-d5	1.532	69	24245	5.037	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	100.800%	
11) 1,1-Dichloroethene-d2	2.060	65	9619	3.847	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	77.000%	
20) 2-Butanone-d5	3.812	46	81627	54.419	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	108.840%	
24) Chloroform-d	4.252	84	48358	4.623	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.400%	
26) 1,2-Dichloroethane-d4	4.947	65	27036	5.457	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	109.200%	
32) Benzene-d6	4.963	84	89375	3.526	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	70.600%	
36) 1,2-Dichloropropane-d6	5.992	67	32487	3.868	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	77.400%	
41) Toluene-d8	7.246	98	74281	3.204	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	64.000%#	
43) trans-1,3-Dichloroprop...	7.561	79	11130	3.740	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	74.800%	
46) 2-Hexanone-d5	8.030	63	65104	46.491	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	92.980%	
56) 1,1,2,2-Tetrachloroeth...	10.156	84	29177	4.967	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	99.400%	
66) 1,2-Dichlorobenzene-d4	11.564	152	30740	4.261	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	85.200%	
Target Compounds						Qvalue
47) Tetrachloroethene	7.908	164	27641	4.402	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102023\
Data File : VV032551.D
Acq On : 21 Oct 2023 02:45
Operator : SY/MD
Sample : 04993-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COAT5

Quant Time: Oct 23 03:00:03 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 21 02:44:24 2023
Response via : Initial Calibration

