

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102320\
 Data File : VV019098.D
 Acq On : 23 Oct 2020 17:42
 Operator : SY/MD
 Sample : L4502-02ME 2X
 Misc : 5.82g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG436ME

Quant Time: Oct 24 05:25:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 24 03:31:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	275245	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	274628	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	138841	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	120037	48.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.02%
7) Chloroethane-d5	1.58	69	93556	46.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.96%
11) 1,1-Dichloroethene-d2	2.11	63	190269	40.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.26%
21) 2-Butanone-d5	3.92	46	159161	94.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.64%
24) Chloroform-d	4.37	84	222002	50.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.52%
26) 1,2-Dichloroethane-d4	5.05	65	158635	53.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.90%
32) Benzene-d6	5.07	84	431313	51.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.70%
36) 1,2-Dichloropropane-d6	6.09	67	137533	50.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.08%
41) Toluene-d8	7.33	98	389923	51.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.80%
43) trans-1,3-Dichloropropene-	7.64	79	71038	50.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.88%
47) 2-Hexanone-d5	8.12	63	124112	104.90	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.90%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	178209	49.21	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.42%
64) 1,2-Dichlorobenzene-d4	11.65	152	160077	54.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.94%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	14258	8.746 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102320\
Data File : VV019098.D
Acq On : 23 Oct 2020 17:42
Operator : SY/MD
Sample : L4502-02ME 2X
Misc : 5.82g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG436ME

Quant Time: Oct 24 05:25:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102220WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 24 03:31:32 2020
Response via : Initial Calibration

