

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102320\
 Data File : VV019088.D
 Acq On : 23 Oct 2020 11:31
 Operator : SY/MD
 Sample : VV1023WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK96

Quant Time: Oct 24 04:02:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 24 03:31:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	279204	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	276146	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	129862	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	107131	42.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.48%
7) Chloroethane-d5	1.58	69	92945	45.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.06%
11) 1,1-Dichloroethene-d2	2.12	63	169798	35.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.48%
21) 2-Butanone-d5	3.92	46	159633	93.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.58%
24) Chloroform-d	4.38	84	206748	46.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.20%
26) 1,2-Dichloroethane-d4	5.06	65	146073	48.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.96%
32) Benzene-d6	5.07	84	391677	46.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.74%
36) 1,2-Dichloropropane-d6	6.09	67	127235	46.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.00%
41) Toluene-d8	7.34	98	345048	45.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.36%
43) trans-1,3-Dichloropropene-	7.64	79	64543	46.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.06%
47) 2-Hexanone-d5	8.11	63	114960	96.63	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.63%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	168057	46.15	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.30%
64) 1,2-Dichlorobenzene-d4	11.65	152	140242	51.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.98%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102320\
Data File : VV019088.D
Acq On : 23 Oct 2020 11:31
Operator : SY/MD
Sample : VV1023WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK96

Quant Time: Oct 24 04:02:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102220WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 24 03:31:32 2020
Response via : Initial Calibration

