

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102320\
 Data File : VV019092.D
 Acq On : 23 Oct 2020 15:20
 Operator : SY/MD
 Sample : L4471-18
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG422

Quant Time: Oct 24 05:03:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 24 03:31:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	268791	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	265718	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	129381	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	113103	46.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.64%
7) Chloroethane-d5	1.58	69	92468	47.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.10%
11) 1,1-Dichloroethene-d2	2.12	63	178143	38.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.90%
21) 2-Butanone-d5	3.91	46	149533	91.05	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.05%
24) Chloroform-d	4.38	84	204180	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.62%
26) 1,2-Dichloroethane-d4	5.06	65	146811	51.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.26%
32) Benzene-d6	5.07	84	397197	48.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.74%
36) 1,2-Dichloropropane-d6	6.09	67	124422	47.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.52%
41) Toluene-d8	7.34	98	355064	48.85	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.70%
43) trans-1,3-Dichloropropene-	7.64	79	63625	47.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.32%
47) 2-Hexanone-d5	8.11	63	105356	92.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.03%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	154641	44.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.26%
64) 1,2-Dichlorobenzene-d4	11.65	152	143282	52.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.60%


Target Compounds					Ovalue
13) Acetone	2.20	43	3685	3.311 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102320\
Data File : VV019092.D
Acq On : 23 Oct 2020 15:20
Operator : SY/MD
Sample : L4471-18
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG422

Quant Time: Oct 24 05:03:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102220WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 24 03:31:32 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.311 ug/L
 RT: 2.20 min Scan# 346
 Delta R.T. 0.00 min
 Lab File: VV019092.D
 Acq: 23 Oct 2020 15:20

Instrument :
 MSVOA_V
 ClientSampleId :
 BG422

Tot Ion: 43 Resp: 3685
 Ion Ratio Lower Upper
 43 100
 58 22.0 0.0 60.2

