

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW102423\
 Data File : VW032593.D
 Acq On : 24 Oct 2023 16:28
 Operator : SY/MD
 Sample : 04993-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AT5

Quant Time: Oct 25 05:55:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Oct 25 05:52:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.538	114	85113	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	99042	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	40297	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	23044	3.329	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.600%
7) Chloroethane-d5	1.532	69	25628	4.561	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.200%
11) 1,1-Dichloroethene-d2	2.060	65	9140	3.131	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.600%
20) 2-Butanone-d5	3.802	46	93184	53.215	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.440%
24) Chloroform-d	4.252	84	52000	4.258	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.200%
26) 1,2-Dichloroethane-d4	4.947	65	28973	5.009	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.200%
32) Benzene-d6	4.963	84	92750	3.183	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	63.600%#
36) 1,2-Dichloropropane-d6	5.992	67	33113	3.429	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	68.600%
41) Toluene-d8	7.246	98	75969	2.851	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	57.000%#
43) trans-1,3-Dichloroprop...	7.561	79	11256	3.290	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	65.800%
46) 2-Hexanone-d5	8.027	63	73143	45.434	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.860%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	33900	5.020	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.400%
66) 1,2-Dichlorobenzene-d4	11.564	152	32281	4.317	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.400%
Target Compounds						Qvalue
47) Tetrachloroethene	7.908	164	13779	1.909	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102423\
Data File : VV032593.D
Acq On : 24 Oct 2023 16:28
Operator : SY/MD
Sample : 04993-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COAT5

Quant Time: Oct 25 05:55:06 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Oct 25 05:52:45 2023
Response via : Initial Calibration

