

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102518\
 Data File : VV008413.D
 Acq On : 25 Oct 2018 17:08
 Operator : SY/MD
 Sample : J5670-03
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETBP4

Quant Time: Oct 26 00:02:46 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 25 23:17:12 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	203938	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	184765	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	73935	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	57061	50.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	101.06%
7) Chloroethane-d5	1.57	69	43095	52.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.72%
11) 1,1-Dichloroethene-d2	2.13	63	75202	36.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.74%
21) 2-Butanone-d5	3.94	46	107748	87.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.80%
24) Chloroform-d	4.41	84	127796	45.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.78%
26) 1,2-Dichloroethane-d4	5.09	65	88969	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.56%
32) Benzene-d6	5.10	84	264187	50.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.36%
36) 1,2-Dichloropropane-d6	6.12	67	88825	48.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.20%
41) Toluene-d8	7.36	98	236456	49.46	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.92%
43) trans-1,3-Dichloropropene-	7.67	79	42966	48.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.78%
47) 2-Hexanone-d5	8.14	63	82022	85.95	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.95%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	110237	44.54	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.08%
64) 1,2-Dichlorobenzene-d4	11.68	152	74587	49.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.64%


Target Compounds					Ovalue
13) Acetone	2.19	43	5775	6.064 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102518\
Data File : VV008413.D
Acq On : 25 Oct 2018 17:08
Operator : SY/MD
Sample : J5670-03
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETBP4

Quant Time: Oct 26 00:02:46 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102318WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 25 23:17:12 2018
Response via : Initial Calibration





#13

Acetone

Concen: 6.064 ug/L

RT: 2.19 min Scan# 343

Delta R.T. 0.00 min

Lab File: VV008413.D

Acq: 25 Oct 2018 17:08

Instrument :
MSVOA_V
ClientSampleId :
ETBP4

Tot Ion: 43 Resp: 5775

Ion Ratio Lower Upper

43 100

58 32.4 0.0 61.4

