

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW102723\
 Data File : VW032732.D
 Acq On : 28 Oct 2023 11:18
 Operator : SY/MD
 Sample : 05055-19
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

Reviewed By : John Carlone 10/30/2023
 Supervised By : Mahesh Dadoda 10/31/2023

Quant Time: Oct 30 01:51:34 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Oct 30 01:47:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	164385	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	184141	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	77422	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	60391	4.473	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	89.400%	
7) Chloroethane-d5	1.532	69	55408m	4.829	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	96.600%	
11) 1,1-Dichloroethene-d2	2.060	65	23846	3.935	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	78.800%	
20) 2-Butanone-d5	3.812	46	65336	22.411	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	44.820%	
24) Chloroform-d	4.252	84	105481	4.705	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.200%	
26) 1,2-Dichloroethane-d4	4.947	65	53527	4.836	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.800%	
32) Benzene-d6	4.963	84	204926	4.674	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.400%	
36) 1,2-Dichloropropane-d6	5.992	67	64548	5.084	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	101.600%	
41) Toluene-d8	7.246	98	187940	4.229	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.600%	
43) trans-1,3-Dichloroprop...	7.561	79	19812	3.537	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	70.800%	
46) 2-Hexanone-d5	8.030	63	95243	42.900	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	85.800%	
56) 1,1,2,2-Tetrachloroeth...	10.156	84	52796	4.677	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	93.600%	
66) 1,2-Dichlorobenzene-d4	11.564	152	69824	5.523	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	110.400%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102723\
Data File : VV032732.D
Acq On : 28 Oct 2023 11:18
Operator : SY/MD
Sample : 05055-19
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 64 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Oct 30 01:51:34 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Oct 30 01:47:59 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : John Carlone 10/30/2023
Supervised By : Mahesh Dadoda 10/31/2023

