

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW102723\
 Data File : VW032741.D
 Acq On : 28 Oct 2023 14:52
 Operator : SY/MD
 Sample : 05019-12
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A49B3

Quant Time: Oct 30 01:53:39 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Oct 30 01:47:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.538	114	130685	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	151747	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	66170	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	49425	4.605	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.200%
7) Chloroethane-d5	1.532	69	50236	5.508	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.200%
11) 1,1-Dichloroethene-d2	2.063	65	20735	4.304	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.000%
20) 2-Butanone-d5	3.802	46	97421	42.033	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.060%
24) Chloroform-d	4.252	84	89982	5.049	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.000%
26) 1,2-Dichloroethane-d4	4.950	65	48010	5.456	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.200%
32) Benzene-d6	4.963	84	184520	5.107	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.200%
36) 1,2-Dichloropropane-d6	5.992	67	56891	5.438	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.800%
41) Toluene-d8	7.246	98	166161	4.537	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.800%
43) trans-1,3-Dichloroprop...	7.561	79	20352	4.409	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.200%
46) 2-Hexanone-d5	8.030	63	80536	44.020	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.040%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	46617	5.011	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.200%
66) 1,2-Dichlorobenzene-d4	11.564	152	60912	5.637	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.800%
Target Compounds						
					Qvalue	
3) Chloromethane	1.217	50	3972	0.251	ug/L	# 76

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102723\
Data File : VV032741.D
Acq On : 28 Oct 2023 14:52
Operator : SY/MD
Sample : 05019-12
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 73 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A49B3

Quant Time: Oct 30 01:53:39 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Oct 30 01:47:59 2023
Response via : Initial Calibration

