

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102919\
 Data File : VV013399.D
 Acq On : 29 Oct 2019 17:05
 Operator : SY/MD
 Sample : K5597-22
 Misc : 25.0ML/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAQF1

Quant Time: Oct 30 02:41:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR102919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 30 02:50:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	348178	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	379824	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	182455	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	159269	4.79	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.80%
7) Chloroethane-d5	1.58	69	127195	4.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.80%
11) 1,1-Dichloroethene-d2	2.13	63	199767	3.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.20%
20) 2-Butanone-d5	3.96	46	396439	52.63	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.26%
24) Chloroform-d	4.40	84	317341	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.20%
26) 1,2-Dichloroethane-d4	5.08	65	164102	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
32) Benzene-d6	5.10	84	643758	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
36) 1,2-Dichloropropane-d6	6.12	67	200358	4.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.40%
41) Toluene-d8	7.36	98	526765	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.60%
43) trans-1,3-Dichloropropene-	7.66	79	69324	4.57	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.40%
46) 2-Hexanone-d5	8.14	63	209709	42.80	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.60%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	117108	4.38	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	197470	5.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.80%

Target Compounds					Ovalue
13) Acetone	2.22	43	35936	9.764 ug/L	78
25) Chloroform	4.42	83	38111	0.553 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102919\
Data File : VV013399.D
Acq On : 29 Oct 2019 17:05
Operator : SY/MD
Sample : K5597-22
Misc : 25.0ML/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAQF1

Quant Time: Oct 30 02:41:42 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR102919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 30 02:50:47 2019
Response via : Initial Calibration

