

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102919\
 Data File : VV013400.D
 Acq On : 29 Oct 2019 17:29
 Operator : SY/MD
 Sample : K5597-23
 Misc : 25.0ML/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAQF2

Quant Time: Oct 30 02:46:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR102919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 30 02:50:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	351692	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	378824	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	188988	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	157409	4.69	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.80%
7) Chloroethane-d5	1.58	69	130383	4.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.20%
11) 1,1-Dichloroethene-d2	2.13	63	199455	3.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.40%
20) 2-Butanone-d5	3.96	46	399735	52.53	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.06%
24) Chloroform-d	4.40	84	319344	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.80%
26) 1,2-Dichloroethane-d4	5.08	65	165784	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
32) Benzene-d6	5.10	84	636785	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
36) 1,2-Dichloropropane-d6	6.12	67	200143	4.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.40%
41) Toluene-d8	7.36	98	528497	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
43) trans-1,3-Dichloropropene-	7.66	79	66452	4.39	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.80%
46) 2-Hexanone-d5	8.13	63	209026	42.78	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.56%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	117183	4.39	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.80%
64) 1,2-Dichlorobenzene-d4	11.67	152	197442	5.21	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.20%

Target Compounds

					Ovalue
13) Acetone	2.22	43	6139	1.651 ug/L	73
23) Bromochloromethane	4.31	128	3524	0.217 ug/L	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102919\
Data File : VV013400.D
Acq On : 29 Oct 2019 17:29
Operator : SY/MD
Sample : K5597-23
Misc : 25.0ML/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAQF2

Quant Time: Oct 30 02:46:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR102919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 30 02:50:47 2019
Response via : Initial Calibration

