

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102919\
 Data File : VV013406.D
 Acq On : 29 Oct 2019 20:17
 Operator : SY/MD
 Sample : K5597-03
 Misc : 25.0ML/MSVOA V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAQD4

Quant Time: Oct 30 03:08:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR102919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 30 02:50:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	339540	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	374282	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	184182	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	156513	4.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.60%
7) Chloroethane-d5	1.58	69	125836	4.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.20%
11) 1,1-Dichloroethene-d2	2.13	63	204121	3.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.80%
20) 2-Butanone-d5	3.94	46	393103	53.51	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.02%
24) Chloroform-d	4.40	84	310980	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
26) 1,2-Dichloroethane-d4	5.08	65	162522	5.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.00%
32) Benzene-d6	5.10	84	619495	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
36) 1,2-Dichloropropane-d6	6.12	67	197071	4.86	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.20%
41) Toluene-d8	7.36	98	517137	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.20%
43) trans-1,3-Dichloropropene-	7.66	79	66443	4.45	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.00%
46) 2-Hexanone-d5	8.13	63	207622	43.01	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.02%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	125195	4.75	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.00%
64) 1,2-Dichlorobenzene-d4	11.67	152	191128	5.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.40%

Target Compounds					Ovalue
13) Acetone	2.20	43	8687	2.420 ug/L	84
42) Toluene	7.43	91	17256	0.118 ug/L	99
47) Tetrachloroethene	8.02	164	8173	0.251 ug/L	82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102919\
Data File : VV013406.D
Acq On : 29 Oct 2019 20:17
Operator : SY/MD
Sample : K5597-03
Misc : 25.0ML/MSVOA V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAQD4

Quant Time: Oct 30 03:08:29 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR102919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 30 02:50:47 2019
Response via : Initial Calibration

