

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102920\
 Data File : VV019168.D
 Acq On : 30 Oct 2020 00:45
 Operator : SY/MD
 Sample : L4502-18ME 40X
 Misc : 6.04g/5.0ml/100uL/5.0ml/MSVOA-V/MEOH
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG441ME

Quant Time: Oct 30 06:17:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 30 05:31:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	241671	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	237233	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	117416	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	78338	40.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.58%
7) Chloroethane-d5	1.58	69	63432	42.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.04%
11) 1,1-Dichloroethene-d2	2.12	63	117490	32.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.32%
21) 2-Butanone-d5	3.90	46	104790	89.08	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.08%
24) Chloroform-d	4.37	84	155441	43.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.02%
26) 1,2-Dichloroethane-d4	5.06	65	114569	46.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.04%
32) Benzene-d6	5.07	84	293673	43.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.28%
36) 1,2-Dichloropropane-d6	6.09	67	90744	45.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.44%
41) Toluene-d8	7.34	98	268627	41.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.10%
43) trans-1,3-Dichloropropene-	7.64	79	48227	41.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.08%
47) 2-Hexanone-d5	8.11	63	76007	87.47	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.47%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	117356	43.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.76%
64) 1,2-Dichlorobenzene-d4	11.65	152	116266	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	30293	18.933 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102920\
Data File : VV019168.D
Acq On : 30 Oct 2020 00:45
Operator : SY/MD
Sample : L4502-18ME 40X
Misc : 6.04g/5.0ml/100uL/5.0ml/MSVOA-V/MEOH
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG441ME

Quant Time: Oct 30 06:17:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 30 05:31:22 2020
Response via : Initial Calibration

