

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102920\  
 Data File : VV019153.D  
 Acq On : 29 Oct 2020 17:59  
 Operator : SY/MD  
 Sample : VV1029MBL01  
 Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA-V/MEOH  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VBLK64

Quant Time: Oct 30 04:51:34 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVLM102920WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Fri Oct 30 05:31:22 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 237747   | 50.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 229486   | 50.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 116561   | 50.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |         |       |          |          |      |         |
|--------------------------------|---------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32    | 65    | 91798    | 48.59    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 60 - 135 | Recovery | =    | 97.18%  |
| 7) Chloroethane-d5             | 1.58    | 69    | 72897    | 49.67    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 130 | Recovery | =    | 99.34%  |
| 11) 1,1-Dichloroethene-d2      | 2.12    | 63    | 135796   | 37.78    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 60 - 125 | Recovery | =    | 75.56%  |
| 21) 2-Butanone-d5              | 3.91    | 46    | 119061   | 102.89   | ug/L | 0.00    |
| Spiked Amount                  | 100.000 | Range | 40 - 130 | Recovery | =    | 102.89% |
| 24) Chloroform-d               | 4.38    | 84    | 171380   | 48.76    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 97.52%  |
| 26) 1,2-Dichloroethane-d4      | 5.05    | 65    | 125758   | 51.35    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 102.70% |
| 32) Benzene-d6                 | 5.07    | 84    | 331670   | 50.95    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 101.90% |
| 36) 1,2-Dichloropropane-d6     | 6.09    | 67    | 100130   | 51.59    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 120 | Recovery | =    | 103.18% |
| 41) Toluene-d8                 | 7.34    | 98    | 306604   | 49.03    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 80 - 120 | Recovery | =    | 98.06%  |
| 43) trans-1,3-Dichloropropene- | 7.64    | 79    | 55654    | 49.55    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 60 - 125 | Recovery | =    | 99.10%  |
| 47) 2-Hexanone-d5              | 8.11    | 63    | 84998    | 101.12   | ug/L | 0.00    |
| Spiked Amount                  | 100.000 | Range | 45 - 130 | Recovery | =    | 101.12% |
| 57) 1,1,2,2-Tetrachloroethane- | 10.23   | 84    | 128022   | 48.92    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 65 - 120 | Recovery | =    | 97.84%  |
| 64) 1,2-Dichlorobenzene-d4     | 11.65   | 152   | 128788   | 52.59    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 80 - 120 | Recovery | =    | 105.18% |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102920\  
Data File : VV019153.D  
Acq On : 29 Oct 2020 17:59  
Operator : SY/MD  
Sample : VV1029MBL01  
Misc : 5.0µ/5.0mL/100uL/5.0mL/MSVOA-V/MEOH  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK64

Quant Time: Oct 30 04:51:34 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVLM102920WMA.M  
Quant Title : VOC Analysis  
QLast Update : Fri Oct 30 05:31:22 2020  
Response via : Initial Calibration

