

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102920\
 Data File : VV019162.D
 Acq On : 29 Oct 2020 22:23
 Operator : SY/MD
 Sample : L4543-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG459

Quant Time: Oct 30 05:54:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 30 05:31:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	234348	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	229780	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	116823	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	84345	45.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.58%
7) Chloroethane-d5	1.58	69	67194	46.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.88%
11) 1,1-Dichloroethene-d2	2.12	63	126949	35.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.66%
21) 2-Butanone-d5	3.91	46	110413	96.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.80%
24) Chloroform-d	4.38	84	161235	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	5.06	65	117320	48.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.20%
32) Benzene-d6	5.07	84	310711	47.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.34%
36) 1,2-Dichloropropane-d6	6.09	67	93870	48.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.60%
41) Toluene-d8	7.34	98	289673	46.26	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.52%
43) trans-1,3-Dichloropropene-	7.64	79	51831	46.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.18%
47) 2-Hexanone-d5	8.11	63	80420	95.55	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.55%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	121106	46.22	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.44%
64) 1,2-Dichlorobenzene-d4	11.65	152	123315	50.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.48%


Target Compounds					Ovalue
13) Acetone	2.19	43	4297	4.055 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102920\
Data File : VV019162.D
Acq On : 29 Oct 2020 22:23
Operator : SY/MD
Sample : L4543-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG459

Quant Time: Oct 30 05:54:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 30 05:31:22 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.055 ug/L
 RT: 2.19 min Scan# 343
 Delta R.T. 0.00 min
 Lab File: VV019162.D
 Acq: 29 Oct 2020 22:23

Instrument :
 MSVOA_V
 ClientSampleId :
 BG459

Tot Ion: 43 Resp: 4297
 Ion Ratio Lower Upper
 43 100
 58 30.5 0.0 59.4

