

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV102920\
 Data File : VV019165.D
 Acq On : 29 Oct 2020 23:34
 Operator : SY/MD
 Sample : L4502-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG428

Quant Time: Oct 30 06:03:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 30 05:31:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	228994	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	224735	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	114397	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	84348	46.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.70%
7) Chloroethane-d5	1.58	69	67967	48.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.16%
11) 1,1-Dichloroethene-d2	2.12	63	124903	36.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.16%
21) 2-Butanone-d5	3.91	46	109895	98.60	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.60%
24) Chloroform-d	4.38	84	163464	48.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.58%
26) 1,2-Dichloroethane-d4	5.06	65	117321	49.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.48%
32) Benzene-d6	5.07	84	310680	48.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.46%
36) 1,2-Dichloropropane-d6	6.09	67	96001	50.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.00%
41) Toluene-d8	7.34	98	288606	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%
43) trans-1,3-Dichloropropene-	7.64	79	51672	46.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.96%
47) 2-Hexanone-d5	8.11	63	78118	94.90	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.90%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	118891	46.39	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.78%
64) 1,2-Dichlorobenzene-d4	11.65	152	124234	51.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.38%


Target Compounds					Ovalue
13) Acetone	2.19	43	5024	4.852 ug/L	95
14) Carbon disulfide	2.31	76	3940	0.844 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV102920\
Data File : VV019165.D
Acq On : 29 Oct 2020 23:34
Operator : SY/MD
Sample : L4502-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG428

Quant Time: Oct 30 06:03:30 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 30 05:31:22 2020
Response via : Initial Calibration





#13

Acetone

Concen: 4.852 ug/L

RT: 2.19 min Scan# 342

Delta R.T. -0.00 min

Lab File: VV019165.D

Acq: 29 Oct 2020 23:34

Instrument :

MSVOA_V

ClientSampled :


BG428

Tot Ion: 43 Resp: 5024

Ion Ratio Lower Upper

43 100

58 26.9 0.0 59.4





Abundance Ion 43.00 (42.70 to 43.70): VV019165.D (-250) (-)

Ion 58.00 (57.70 to 58.70): VV019165.D (-250) (-)

2.19

2.15 2.20 2.25

Time-->



#14

Carbon disulfide

Concen: 0.844 ug/L

RT: 2.31 min Scan# 380

Delta R.T. 0.00 min

Lab File: VV019165.D


Acq: 29 Oct 2020 23:34

Tgt Ion: 76 Resp: 3940

Ion Ratio Lower Upper

76 100

78 10.9 7.4 11.0



Abundance Ion 76.00 (75.70 to 76.70): VV019165.D (-286) (-)

Ion 78.00 (77.70 to 78.70): VV019165.D (-286) (-)

2.31

2.30 2.35

Time-->

