

Data File : VV008477.D
Acq On : 30 Oct 2018 18:57
Operator : SY/MD
Sample : J5716-16
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Oct 31 08:24:38 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102318WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 31 07:14:32 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	184368	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	168049	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	69550	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	50893	49.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.72%
7) Chloroethane-d5	1.56	69	35213m	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.56%
11) 1,1-Dichloroethene-d2	2.13	63	67398	36.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.12%
21) 2-Butanone-d5	3.94	46	103684	93.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.46%
24) Chloroform-d	4.41	84	118679	47.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.28%
26) 1,2-Dichloroethane-d4	5.09	65	82893	49.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.48%
32) Benzene-d6	5.10	84	248128	51.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.62%
36) 1,2-Dichloropropane-d6	6.12	67	83290	50.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.22%
41) Toluene-d8	7.36	98	223032	51.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.58%
43) trans-1,3-Dichloropropene-	7.67	79	38435	47.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.18%
47) 2-Hexanone-d5	8.13	63	82159	94.66	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.66%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	109683	48.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.44%
64) 1,2-Dichlorobenzene-d4	11.68	152	73473	51.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.28%

Target Compounds					Qvalue
13) Acetone	2.19	43	4818	5.596 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV008477.D
Acq On : 30 Oct 2018 18:57
Operator : SY/MD
Sample : J5716-16
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Oct 31 08:24:38 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM102318WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 31 07:14:32 2018
Response via : Initial Calibration

