

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103023\
 Data File : VV032775.D
 Acq On : 30 Oct 2023 16:31
 Operator : SY/MD
 Sample : 05019-04
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Oct 31 02:27:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 31 02:23:31 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.538	114	135427	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	155933	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	67350	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	44637	4.013	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.200%
7) Chloroethane-d5	1.532	69	42934	4.542	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.800%
11) 1,1-Dichloroethene-d2	2.060	65	19826	3.971	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.400%
20) 2-Butanone-d5	3.828	46	97593	40.633	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	81.260%
24) Chloroform-d	4.252	84	87107	4.717	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.400%
26) 1,2-Dichloroethane-d4	4.947	65	44913	4.926	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.600%
32) Benzene-d6	4.963	84	165403	4.455	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.200%
36) 1,2-Dichloropropane-d6	5.992	67	50815	4.727	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.600%
41) Toluene-d8	7.246	98	146485	3.892	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.800%
43) trans-1,3-Dichloroprop...	7.561	79	19789	4.172	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.400%
46) 2-Hexanone-d5	8.034	63	77891	41.431	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	82.860%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	44036	4.606	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.200%
66) 1,2-Dichlorobenzene-d4	11.564	152	54638	4.968	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.400%
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	6.924	75	1766	0.098	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103023\
Data File : VV032775.D
Acq On : 30 Oct 2023 16:31
Operator : SY/MD
Sample : 05019-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Oct 31 02:27:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 31 02:23:31 2023
Response via : Initial Calibration





#39

cis-1,3-Dichloropropene

Concen: 0.098 ug/L

RT: 6.924 min Scan# 11

Delta R.T. -0.032 min


Lab File: VV032775.D

Acq: 30 Oct 2023 16:31

Instrument :

MSVOA_V

ClientSampleId :



Tgt Ion: 75 Resp: 1766

Ion Ratio Lower Upper

75 100

77 36.7 23.2 43.2

