

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103023\
 Data File : VV032780.D
 Acq On : 30 Oct 2023 18:32
 Operator : SY/MD
 Sample : 05114-15
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Oct 31 02:28:57 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 31 02:23:31 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	118798	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	139621	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	60520	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	42271	4.333	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.600%
7) Chloroethane-d5	1.532	69	40858	4.928	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.600%
11) 1,1-Dichloroethene-d2	2.060	65	18293	4.177	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	83.600%
20) 2-Butanone-d5	3.802	46	92821	44.056	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.120%
24) Chloroform-d	4.252	84	83054	5.127	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.600%
26) 1,2-Dichloroethane-d4	4.947	65	43112	5.390	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.800%
32) Benzene-d6	4.963	84	157228	4.730	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.600%
36) 1,2-Dichloropropane-d6	5.992	67	48557	5.044	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.800%
41) Toluene-d8	7.246	98	138364	4.106	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.200%
43) trans-1,3-Dichloroprop...	7.561	79	15505	3.650	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.000%
46) 2-Hexanone-d5	8.030	63	73386	43.595	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.200%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	43739	5.110	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.200%
66) 1,2-Dichlorobenzene-d4	11.564	152	51369	5.198	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.000%
Target Compounds						Qvalue
38) Bromodichloromethane	6.452	83	2115	0.135	ug/L	# 73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103023\
Data File : VV032780.D
Acq On : 30 Oct 2023 18:32
Operator : SY/MD
Sample : 05114-15
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Oct 31 02:28:57 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 31 02:23:31 2023
Response via : Initial Calibration





#38
 Bromodichloromethane
 Concen: 0.135 ug/L
 RT: 6.452 min Scan# 1
 Delta R.T. 0.016 min
 Lab File: VV032780.D
 Acq: 30 Oct 2023 18:32

Instrument :
 MSVOA_V
 ClientSampleId :



Tgt Ion:	83	Resp:	2115
Ion	Ratio	Lower	Upper
83	100		
85	42.5	44.9	83.5#
127	0.0	7.0	10.6#

