

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028779.D
 Acq On : 31 Oct 2022 14:33
 Operator : SY/MD
 Sample : VV1031WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK282

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028779.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	76	82	102	rVB	277977	305830	15.82%	2.134%
2	1.561	156	162	179	rVB	267606	316042	16.35%	2.205%
3	2.105	322	331	348	rVB	518967	744146	38.50%	5.192%
4	2.413	424	427	428	rBV2	1477	947	0.05%	0.007%
5	2.828	555	556	559	rBV3	1428	840	0.04%	0.006%
6	2.902	575	579	581	rBV5	1303	1067	0.06%	0.007%
7	2.989	605	606	607	rBV	833	299	0.02%	0.002%
8	3.008	607	612	617	rVV9	2390	2934	0.15%	0.020%
9	3.098	639	640	642	rBV2	832	393	0.02%	0.003%
10	3.159	658	659	660	rBV	999	227	0.01%	0.002%
11	3.275	692	695	696	rBV3	1602	941	0.05%	0.007%
12	3.314	705	707	709	rBV3	1713	1020	0.05%	0.007%
13	3.343	712	716	717	rBV3	1372	912	0.05%	0.006%
14	3.365	720	723	728	rVB6	1328	1226	0.06%	0.009%
15	3.388	728	730	731	rBV2	1353	588	0.03%	0.004%
16	3.429	740	743	745	rBV4	1174	907	0.05%	0.006%
17	3.442	745	747	750	rVV4	1453	709	0.04%	0.005%
18	3.497	761	764	765	rBV3	914	527	0.03%	0.004%
19	3.516	768	770	771	rBV2	433	119	0.01%	0.001%
20	3.532	773	775	776	rBV2	947	339	0.02%	0.002%
21	3.545	776	779	780	rBV3	1036	451	0.02%	0.003%
22	3.796	854	857	863	rBV6	1575	1722	0.09%	0.012%
23	3.873	872	881	918	rBV	169945	486276	25.16%	3.393%
24	4.343	1012	1027	1054	rBV	288468	725895	37.56%	5.065%
25	4.706	1138	1140	1143	rVB4	1647	954	0.05%	0.007%
26	4.777	1159	1162	1164	rBV4	1748	1178	0.06%	0.008%
27	4.883	1194	1195	1197	rBV2	1245	631	0.03%	0.004%
28	4.944	1212	1214	1219	rVB6	1784	990	0.05%	0.007%
29	5.040	1228	1244	1266	rBV2	756931	1932792	100.00%	13.485%
30	5.613	1410	1422	1451	rBV	553354	1126237	58.27%	7.858%
31	6.066	1550	1563	1593	rBV	443002	918303	47.51%	6.407%
32	6.404	1664	1668	1671	rBV4	1684	1457	0.08%	0.010%
33	6.439	1677	1679	1680	rBV2	1545	796	0.04%	0.006%
34	6.754	1774	1777	1778	rBV3	1640	884	0.05%	0.006%
35	6.805	1789	1793	1797	rBV6	1965	1925	0.10%	0.013%
36	6.921	1827	1829	1831	rBV3	1120	725	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028779.D
 Acq On : 31 Oct 2022 14:33
 Operator : SY/MD
 Sample : VV1031WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK282

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	6.982	1838	1848	1870	rBV	209381	383438	19.84%	2.675%
38	7.310	1939	1950	1975	rBV	851248	1486586	76.91%	10.372%
39	7.616	2037	2045	2061	rBV	130131	227388	11.76%	1.586%
40	8.085	2180	2191	2231	rBV	545922	1069319	55.33%	7.461%
41	8.725	2387	2390	2391	rBV3	1400	748	0.04%	0.005%
42	8.767	2400	2403	2405	rBV4	2388	1756	0.09%	0.012%
43	8.847	2417	2428	2451	rBV	798583	1326718	68.64%	9.256%
44	9.297	2567	2568	2572	rBV3	1224	753	0.04%	0.005%
45	9.313	2572	2573	2574	rVV	1476	395	0.02%	0.003%
46	9.336	2578	2580	2581	rBV	1512	559	0.03%	0.004%
47	9.519	2635	2637	2639	rVB2	1632	709	0.04%	0.005%
48	9.542	2639	2644	2645	rBV5	2390	2184	0.11%	0.015%
49	9.715	2692	2698	2699	rBV6	1941	1683	0.09%	0.012%
50	9.754	2708	2710	2711	rBV2	786	334	0.02%	0.002%
51	9.764	2711	2713	2718	rVB6	2258	1643	0.09%	0.011%
52	9.789	2718	2721	2723	rBV4	2490	1748	0.09%	0.012%
53	9.809	2723	2727	2732	rVB8	2321	2371	0.12%	0.017%
54	10.001	2782	2787	2788	rBV5	1693	1298	0.07%	0.009%
55	10.056	2801	2804	2808	rBV5	1521	1169	0.06%	0.008%
56	10.207	2840	2851	2876	rVB	543322	861957	44.60%	6.014%
57	10.448	2924	2926	2928	rBV3	1146	611	0.03%	0.004%
58	10.484	2935	2937	2938	rBV2	1200	404	0.02%	0.003%
59	10.596	2971	2972	2975	rBV3	1147	712	0.04%	0.005%
60	10.744	3017	3018	3021	rBV3	1286	590	0.03%	0.004%
61	10.837	3040	3047	3050	rBV8	2369	3227	0.17%	0.023%
62	10.972	3085	3089	3093	rBV6	1745	1707	0.09%	0.012%
63	11.239	3162	3172	3193	rBV	732044	1161060	60.07%	8.101%
64	11.490	3248	3250	3252	rBV3	1440	589	0.03%	0.004%
65	11.500	3252	3253	3257	rVV4	1262	621	0.03%	0.004%
66	11.616	3278	3289	3309	rBV	734471	1167196	60.39%	8.143%
67	11.889	3370	3374	3377	rBV6	1537	1146	0.06%	0.008%
68	12.024	3415	3416	3420	rVB4	1678	992	0.05%	0.007%
69	12.050	3420	3424	3428	rBV6	1547	1281	0.07%	0.009%
70	12.075	3428	3432	3433	rBV4	2083	1540	0.08%	0.011%
71	12.120	3441	3446	3449	rBV6	1680	1712	0.09%	0.012%
72	12.226	3478	3479	3481	rVB2	1255	419	0.02%	0.003%
73	12.281	3494	3496	3498	rBV3	2266	1105	0.06%	0.008%
74	12.361	3517	3521	3522	rBV4	1319	713	0.04%	0.005%
75	12.371	3522	3524	3526	rBV3	1513	618	0.03%	0.004%
76	12.381	3526	3527	3529	rBV2	1133	528	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028779.D
 Acq On : 31 Oct 2022 14:33
 Operator : SY/MD
 Sample : VV1031WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK282

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

77	12.452	3547	3549	3555	rVB5	1467	1186	0.06%	0.008%
78	12.500	3562	3564	3566	rBV3	825	533	0.03%	0.004%
79	12.789	3653	3654	3655	rBV	994	325	0.02%	0.002%
80	12.985	3713	3715	3718	rBV4	1510	834	0.04%	0.006%
81	13.001	3718	3720	3721	rBV2	1501	703	0.04%	0.005%
82	13.066	3739	3740	3743	rBV3	1758	857	0.04%	0.006%
83	13.078	3743	3744	3745	rBV	1363	335	0.02%	0.002%
84	13.345	3826	3827	3829	rBV2	1127	508	0.03%	0.004%
85	13.387	3838	3840	3842	rBV3	1120	551	0.03%	0.004%
86	13.734	3939	3948	3960	rBV3	12351	22880	1.18%	0.160%
87	13.914	4002	4004	4006	rBV3	1923	967	0.05%	0.007%
88	14.162	4078	4081	4083	rBV3	1669	1258	0.07%	0.009%
89	14.394	4150	4153	4155	rVB4	2409	1247	0.06%	0.009%




Sum of corrected areas: 14332940

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028779.D
Acq On : 31 Oct 2022 14:33
Operator : SY/MD
Sample : VV1031WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK282

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028779.D
Acq On : 31 Oct 2022 14:33
Operator : SY/MD
Sample : VV1031WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK282

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028779.D
Acq On : 31 Oct 2022 14:33
Operator : SY/MD
Sample : VV1031WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK282

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc