

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028782.D
 Acq On : 31 Oct 2022 15:55
 Operator : SY/MD
 Sample : N5301-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWQ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028782.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	76	83	103	rVB2	290826	331195	1.86%	0.916%
2	1.565	157	163	179	rVB	238988	275208	1.54%	0.761%
3	2.108	323	332	347	rVB2	452716	680321	3.82%	1.882%
4	2.294	385	390	396	rBV7	3575	4089	0.02%	0.011%
5	2.365	410	412	414	rBV3	1319	713	0.00%	0.002%
6	2.404	421	424	427	rBV4	1328	990	0.01%	0.003%
7	2.757	522	534	563	rBV	2279483	3877654	21.77%	10.727%
8	3.150	654	656	660	rBV4	1219	866	0.00%	0.002%
9	3.519	769	771	772	rBV2	906	288	0.00%	0.001%
10	3.548	778	780	785	rVB5	1783	1221	0.01%	0.003%
11	3.574	785	788	790	rBV3	2091	1224	0.01%	0.003%
12	3.590	790	793	796	rBV3	803	599	0.00%	0.002%
13	3.635	803	807	811	rBV7	1618	1625	0.01%	0.004%
14	3.655	811	813	814	rBV3	986	334	0.00%	0.001%
15	3.671	815	818	822	rVB6	2565	1482	0.01%	0.004%
16	3.693	822	825	826	rBV2	1406	519	0.00%	0.001%
17	3.709	826	830	831	rBV3	1407	916	0.01%	0.003%
18	3.754	842	844	846	rBV3	833	405	0.00%	0.001%
19	3.905	872	891	929	rBV	7443166	17814989	100.00%	49.283%
20	4.346	1015	1028	1054	rVB	267539	655311	3.68%	1.813%
21	4.835	1176	1180	1184	rBV6	2000	1756	0.01%	0.005%
22	4.880	1190	1194	1195	rBV4	1273	938	0.01%	0.003%
23	5.044	1229	1245	1280	rBV2	680413	1818754	10.21%	5.031%
24	5.568	1406	1408	1409	rBV2	1171	557	0.00%	0.002%
25	5.616	1412	1423	1452	rVV	428208	866339	4.86%	2.397%
26	5.912	1502	1515	1545	rBV	1063754	2075905	11.65%	5.743%
27	6.066	1552	1563	1589	rVB	414562	842334	4.73%	2.330%
28	6.879	1815	1816	1819	rBV3	1336	467	0.00%	0.001%
29	6.982	1838	1848	1869	rBV	198858	367198	2.06%	1.016%
30	7.314	1940	1951	1972	rBV	762211	1339314	7.52%	3.705%
31	7.619	2037	2046	2064	rBV	125711	224086	1.26%	0.620%
32	8.085	2182	2191	2224	rBV	518427	997766	5.60%	2.760%
33	8.522	2325	2327	2329	rBV3	1604	839	0.00%	0.002%
34	8.568	2339	2341	2344	rBV4	1626	962	0.01%	0.003%
35	8.847	2417	2428	2456	rBV	622485	1038133	5.83%	2.872%
36	9.246	2550	2552	2556	rBV5	1918	1354	0.01%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028782.D
 Acq On : 31 Oct 2022 15:55
 Operator : SY/MD
 Sample : N5301-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWQ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	9.291	2564	2566	2568	rBV3	1150	521	0.00%	0.001%
38	9.503	2630	2632	2633	rBV2	1278	551	0.00%	0.002%
39	9.532	2638	2641	2643	rBV4	2539	1754	0.01%	0.005%
40	9.609	2663	2665	2671	rVB7	1679	1318	0.01%	0.004%
41	9.715	2694	2698	2700	rBV4	1898	1261	0.01%	0.003%
42	9.770	2713	2715	2716	rBV3	1485	701	0.00%	0.002%
43	9.889	2750	2752	2753	rBV	2060	879	0.00%	0.002%
44	9.966	2775	2776	2780	rVB5	1469	757	0.00%	0.002%
45	10.002	2781	2787	2788	rBV5	1678	1412	0.01%	0.004%
46	10.047	2798	2801	2803	rBV5	1523	1091	0.01%	0.003%
47	10.092	2809	2815	2817	rBV6	1902	1941	0.01%	0.005%
48	10.207	2840	2851	2870	rBV	523484	834190	4.68%	2.308%
49	10.333	2887	2890	2892	rBV4	2028	1351	0.01%	0.004%
50	10.641	2984	2986	2987	rBV2	944	403	0.00%	0.001%
51	10.741	3013	3017	3020	rBV5	1874	1492	0.01%	0.004%
52	10.796	3033	3034	3035	rBV	783	220	0.00%	0.001%
53	10.911	3068	3070	3071	rBV2	2170	990	0.01%	0.003%
54	10.976	3086	3090	3092	rBV4	1497	1143	0.01%	0.003%
55	11.243	3162	3173	3195	rBV	566399	909334	5.10%	2.516%
56	11.506	3252	3255	3257	rBV4	1272	922	0.01%	0.003%
57	11.532	3262	3263	3264	rBV	1373	498	0.00%	0.001%
58	11.616	3278	3289	3313	rBV	712135	1128031	6.33%	3.121%
59	11.834	3354	3357	3361	rBV6	2024	1549	0.01%	0.004%
60	12.069	3426	3430	3435	rBV8	2752	3497	0.02%	0.010%
61	12.214	3472	3475	3479	rBV5	1757	1532	0.01%	0.004%
62	12.368	3515	3523	3525	rBV9	2166	2495	0.01%	0.007%
63	12.400	3531	3533	3534	rBV2	1273	719	0.00%	0.002%
64	12.474	3553	3556	3559	rBV4	1782	1052	0.01%	0.003%
65	12.513	3565	3568	3570	rBV5	1740	1220	0.01%	0.003%
66	12.738	3636	3638	3641	rVB4	2096	903	0.01%	0.002%
67	12.757	3641	3644	3646	rBV3	1228	975	0.01%	0.003%
68	12.905	3688	3690	3691	rBV2	918	298	0.00%	0.001%
69	12.944	3698	3702	3705	rBV6	1349	1158	0.01%	0.003%
70	13.050	3732	3735	3742	rBV7	1539	1876	0.01%	0.005%
71	13.088	3742	3747	3749	rBV6	2006	1581	0.01%	0.004%
72	13.114	3753	3755	3756	rBV2	1086	389	0.00%	0.001%
73	13.214	3783	3786	3788	rBV4	2147	1236	0.01%	0.003%
74	13.259	3795	3800	3804	rBV7	3476	4200	0.02%	0.012%
75	13.333	3820	3823	3824	rBV3	1181	568	0.00%	0.002%
76	13.667	3925	3927	3929	rBV3	1894	987	0.01%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028782.D
Acq On : 31 Oct 2022 15:55
Operator : SY/MD
Sample : N5301-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWQ4

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Title : VOC Analysis

77	13.889	3991	3996	3999	rBV7	1774	1552	0.01%	0.004%
78	13.927	4006	4008	4011	rVB3	1458	654	0.00%	0.002%
79	14.152	4076	4078	4081	rVB2	2464	1268	0.01%	0.004%
80	14.542	4197	4199	4200	rBV2	1225	329	0.00%	0.001%
81	14.606	4217	4219	4222	rBV3	1628	911	0.01%	0.003%




Sum of corrected areas: 36148360

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028782.D
Acq On : 31 Oct 2022 15:55
Operator : SY/MD
Sample : N5301-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWQ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028782.D
Acq On : 31 Oct 2022 15:55
Operator : SY/MD
Sample : N5301-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWQ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028782.D
Acq On : 31 Oct 2022 15:55
Operator : SY/MD
Sample : N5301-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWQ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc