

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028795.D
 Acq On : 31 Oct 2022 21:07
 Operator : SY/MD
 Sample : N5321-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBXA4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028795.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	76	83	100	rVB2	238448	270997	0.24%	0.163%
2	1.565	157	163	174	rVB	207031	239308	0.22%	0.144%
3	2.105	322	331	345	rVB2	409640	616610	0.55%	0.371%
4	2.754	522	533	559	rBV	1160748	1979747	1.78%	1.192%
5	3.034	617	620	624	rBV5	1726	1578	0.00%	0.001%
6	3.339	712	715	717	rBV4	1975	1045	0.00%	0.001%
7	3.439	742	746	747	rBV3	1267	912	0.00%	0.001%
8	3.478	756	758	761	rBV4	1458	894	0.00%	0.001%
9	3.497	761	764	765	rVV3	1301	573	0.00%	0.000%
10	3.532	772	775	777	rBV4	1481	813	0.00%	0.000%
11	3.545	777	779	783	rVB5	1858	1070	0.00%	0.001%
12	3.564	783	785	787	rVB3	1485	477	0.00%	0.000%
13	3.577	787	789	790	rBV	1457	697	0.00%	0.000%
14	3.642	808	809	812	rVB2	1290	572	0.00%	0.000%
15	3.658	812	814	816	rVB3	958	325	0.00%	0.000%
16	3.706	827	829	831	rBV4	1526	575	0.00%	0.000%
17	3.748	838	842	843	rBV4	2111	1312	0.00%	0.001%
18	3.777	848	851	856	rVB7	2651	2405	0.00%	0.001%
19	3.806	856	860	861	rBV4	2236	1239	0.00%	0.001%
20	3.902	871	890	935	rBV	7316260	17423641	15.67%	10.488%
21	4.343	1014	1027	1051	rVB	242561	593610	0.53%	0.357%
22	4.896	1194	1199	1202	rBV7	1778	1802	0.00%	0.001%
23	5.040	1228	1244	1281	rBV2	611607	1652553	1.49%	0.995%
24	5.613	1410	1422	1447	rBV	545767	1094592	0.98%	0.659%
25	5.915	1498	1516	1550	rBV2	58171062	111156127	100.00%	66.909%
26	6.982	1838	1848	1871	rBV	175725	322790	0.29%	0.194%
27	7.310	1939	1950	1971	rBV	682583	1173221	1.06%	0.706%
28	7.616	2037	2045	2061	rBV	114931	200858	0.18%	0.121%
29	7.969	2140	2155	2177	rBV	15223323	24331124	21.89%	14.646%
30	8.085	2183	2191	2216	rVB	429206	766453	0.69%	0.461%
31	8.532	2328	2330	2331	rBV3	1305	600	0.00%	0.000%
32	8.625	2357	2359	2361	rBV3	1129	452	0.00%	0.000%
33	8.844	2417	2427	2449	rBV	784364	1287036	1.16%	0.775%
34	9.268	2557	2559	2562	rBV4	1640	1172	0.00%	0.001%
35	9.410	2602	2603	2604	rBV	1768	626	0.00%	0.000%
36	9.677	2684	2686	2690	rVB4	1461	627	0.00%	0.000%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028795.D
 Acq On : 31 Oct 2022 21:07
 Operator : SY/MD
 Sample : N5321-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBXA4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	9.757	2708	2711	2714	rBV4	1660	1124	0.00%	0.001%
38	9.870	2744	2746	2751	rVB7	2021	1337	0.00%	0.001%
39	9.892	2751	2753	2756	rBV4	1613	792	0.00%	0.000%
40	9.918	2756	2761	2763	rBV5	1831	1794	0.00%	0.001%
41	9.950	2768	2771	2772	rBV2	1822	787	0.00%	0.000%
42	10.050	2797	2802	2804	rBV5	1717	1740	0.00%	0.001%
43	10.143	2829	2831	2835	rVB4	1888	1390	0.00%	0.001%
44	10.207	2835	2851	2879	rBV	461081	753772	0.68%	0.454%
45	10.310	2879	2883	2884	rBV3	1439	1011	0.00%	0.001%
46	10.448	2924	2926	2927	rBV2	885	355	0.00%	0.000%
47	10.481	2935	2936	2941	rVB4	1837	1050	0.00%	0.001%
48	10.500	2941	2942	2943	rBV	1525	500	0.00%	0.000%
49	10.661	2989	2992	2994	rVB4	1679	864	0.00%	0.001%
50	10.677	2994	2997	2999	rBV4	2125	1470	0.00%	0.001%
51	10.735	3012	3015	3017	rBV3	1785	1094	0.00%	0.001%
52	10.805	3035	3037	3038	rBV2	1210	376	0.00%	0.000%
53	10.908	3066	3069	3070	rBV3	2360	1331	0.00%	0.001%
54	11.088	3122	3125	3130	rBV7	1554	1701	0.00%	0.001%
55	11.239	3162	3172	3194	rBV	717511	1158492	1.04%	0.697%
56	11.448	3235	3237	3239	rBV4	1493	401	0.00%	0.000%
57	11.616	3278	3289	3310	rBV	633417	1050156	0.94%	0.632%
58	11.866	3365	3367	3369	rBV3	1821	1070	0.00%	0.001%
59	12.069	3428	3430	3433	rBV4	1260	716	0.00%	0.000%
60	12.281	3494	3496	3497	rBV2	1032	423	0.00%	0.000%
61	12.580	3587	3589	3590	rBV2	1131	394	0.00%	0.000%
62	12.670	3615	3617	3620	rVB4	1439	586	0.00%	0.000%
63	12.799	3655	3657	3663	rBV6	1136	1214	0.00%	0.001%
64	12.860	3672	3676	3678	rBV5	2257	1410	0.00%	0.001%
65	12.873	3678	3680	3682	rVB3	1901	748	0.00%	0.000%
66	12.972	3709	3711	3713	rBV3	1377	752	0.00%	0.000%
67	12.982	3713	3714	3718	rVB3	1449	906	0.00%	0.001%
68	13.040	3730	3732	3734	rVB3	1496	495	0.00%	0.000%
69	13.098	3748	3750	3751	rVB2	1287	333	0.00%	0.000%
70	13.387	3838	3840	3842	rBV3	1677	1036	0.00%	0.001%
71	13.484	3868	3870	3874	rBV6	2025	1047	0.00%	0.001%
72	13.824	3974	3976	3978	rBV3	1553	796	0.00%	0.000%
73	13.931	4007	4009	4011	rVB3	1262	394	0.00%	0.000%
74	13.940	4011	4012	4015	rBV3	1510	692	0.00%	0.000%
75	14.050	4042	4046	4051	rBV8	1959	1976	0.00%	0.001%
76	14.294	4121	4122	4123	rVB	921	178	0.00%	0.000%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028795.D
Acq On : 31 Oct 2022 21:07
Operator : SY/MD
Sample : N5321-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBXA4

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Title : VOC Analysis

77	14.680	4238	4242	4244	rBV5	1647	1480	0.00%	0.001%
78	14.908	4311	4313	4318	rBV6	2334	1798	0.00%	0.001%
79	15.262	4420	4423	4425	rBV3	2192	1547	0.00%	0.001%


Sum of corrected areas: 166129961

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028795.D
Acq On : 31 Oct 2022 21:07
Operator : SY/MD
Sample : N5321-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBXA4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028795.D
Acq On : 31 Oct 2022 21:07
Operator : SY/MD
Sample : N5321-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBXA4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028795.D
Acq On : 31 Oct 2022 21:07
Operator : SY/MD
Sample : N5321-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBXA4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc