

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028797.D
 Acq On : 31 Oct 2022 21:56
 Operator : SY/MD
 Sample : N5321-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWN6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028797.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	77	83	101	rVB2	244543	276536	6.97%	1.464%
2	1.564	157	163	177	rVB	202858	235464	5.93%	1.246%
3	2.105	322	331	344	rBV2	391926	573801	14.46%	3.037%
4	2.417	422	428	429	rBV5	2082	2239	0.06%	0.012%
5	2.757	523	534	557	rBV	632670	1105292	27.85%	5.850%
6	2.921	583	585	588	rBV3	2311	1436	0.04%	0.008%
7	3.214	674	676	679	rVB3	2041	1077	0.03%	0.006%
8	3.236	679	683	686	rBV6	1873	1275	0.03%	0.007%
9	3.262	689	691	695	rBV4	1194	880	0.02%	0.005%
10	3.326	709	711	716	rBV5	1373	944	0.02%	0.005%
11	3.365	720	723	726	rVB4	941	630	0.02%	0.003%
12	3.423	738	741	743	rBV3	1559	889	0.02%	0.005%
13	3.436	743	745	747	rVB3	1352	630	0.02%	0.003%
14	3.490	759	762	763	rBV2	1302	750	0.02%	0.004%
15	3.584	789	791	794	rVB4	1637	747	0.02%	0.004%
16	3.609	796	799	801	rBV4	1550	873	0.02%	0.005%
17	3.677	816	820	822	rBV5	2184	1703	0.04%	0.009%
18	3.835	867	869	871	rBV3	1790	1076	0.03%	0.006%
19	3.902	872	890	926	rVV2	1530184	3968809	100.00%	21.005%
20	4.343	1014	1027	1052	rVB	244391	602474	15.18%	3.189%
21	4.613	1109	1111	1113	rBV3	1738	820	0.02%	0.004%
22	4.851	1182	1185	1186	rBV3	1460	740	0.02%	0.004%
23	4.950	1212	1216	1218	rBV5	2307	1962	0.05%	0.010%
24	5.040	1225	1244	1273	rBV2	617382	1645164	41.45%	8.707%
25	5.400	1354	1356	1363	rVB6	1741	1587	0.04%	0.008%
26	5.436	1365	1367	1368	rBV2	1343	642	0.02%	0.003%
27	5.613	1410	1422	1454	rBV	518029	1058972	26.68%	5.605%
28	5.908	1501	1514	1536	rBV	950910	1841482	46.40%	9.746%
29	6.066	1552	1563	1588	rVB	373696	757480	19.09%	4.009%
30	6.577	1718	1722	1725	rBV6	2034	1811	0.05%	0.010%
31	6.777	1783	1784	1787	rBV3	1649	777	0.02%	0.004%
32	6.982	1837	1848	1867	rBV	174007	324554	8.18%	1.718%
33	7.310	1940	1950	1972	rBV	696839	1196181	30.14%	6.331%
34	7.619	2036	2046	2064	rBV	110994	201035	5.07%	1.064%
35	7.809	2103	2105	2109	rVB5	1723	867	0.02%	0.005%
36	7.844	2113	2116	2117	rBV2	1125	719	0.02%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028797.D
 Acq On : 31 Oct 2022 21:56
 Operator : SY/MD
 Sample : N5321-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWN6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	7.973	2147	2156	2165	rBV9	14264	24207	0.61%	0.128%
38	8.085	2180	2191	2220	rBV	444005	868240	21.88%	4.595%
39	8.349	2270	2273	2274	rBV3	2227	1193	0.03%	0.006%
40	8.783	2406	2408	2410	rBV3	1551	920	0.02%	0.005%
41	8.847	2417	2428	2453	rBV	765792	1243742	31.34%	6.583%
42	9.288	2562	2565	2567	rBV4	1839	1306	0.03%	0.007%
43	9.323	2572	2576	2577	rBV4	2309	1549	0.04%	0.008%
44	9.391	2593	2597	2599	rBV5	1750	1424	0.04%	0.008%
45	9.423	2605	2607	2611	rVB5	1431	887	0.02%	0.005%
46	9.551	2645	2647	2648	rBV2	1799	688	0.02%	0.004%
47	9.603	2660	2663	2668	rVB7	1981	1477	0.04%	0.008%
48	9.677	2683	2686	2691	rBV6	1620	1248	0.03%	0.007%
49	9.699	2691	2693	2698	rVB5	2007	1427	0.04%	0.008%
50	9.847	2736	2739	2740	rBV3	1231	673	0.02%	0.004%
51	9.873	2745	2747	2752	rVB5	2202	1207	0.03%	0.006%
52	9.956	2769	2773	2774	rBV4	1133	784	0.02%	0.004%
53	10.046	2798	2801	2804	rVB3	1529	778	0.02%	0.004%
54	10.085	2810	2813	2814	rBV3	1634	950	0.02%	0.005%
55	10.207	2840	2851	2872	rBV	474130	765521	19.29%	4.052%
56	10.439	2919	2923	2926	rBV6	1225	906	0.02%	0.005%
57	10.651	2987	2989	2993	rBV5	1482	924	0.02%	0.005%
58	10.673	2993	2996	2997	rBV3	1806	747	0.02%	0.004%
59	10.976	3087	3090	3093	rBV5	1656	1492	0.04%	0.008%
60	11.011	3099	3101	3105	rBV5	2344	1431	0.04%	0.008%
61	11.050	3111	3113	3118	rVB6	1489	944	0.02%	0.005%
62	11.079	3119	3122	3125	rBV5	1155	860	0.02%	0.005%
63	11.111	3129	3132	3138	rBV8	1416	1211	0.03%	0.006%
64	11.140	3138	3141	3143	rVB3	1488	987	0.02%	0.005%
65	11.159	3143	3147	3149	rBV5	1722	1185	0.03%	0.006%
66	11.178	3149	3153	3158	rVB8	1572	1597	0.04%	0.008%
67	11.239	3159	3172	3196	rBV	682932	1098182	27.67%	5.812%
68	11.616	3277	3289	3308	rBV	638802	1017551	25.64%	5.385%
69	11.873	3367	3369	3370	rBV2	1620	648	0.02%	0.003%
70	12.005	3407	3410	3413	rBV5	1673	1400	0.04%	0.007%
71	12.181	3460	3465	3468	rBV7	2461	2078	0.05%	0.011%
72	12.220	3474	3477	3480	rBV4	866	645	0.02%	0.003%
73	12.249	3484	3486	3490	rVB5	1385	643	0.02%	0.003%
74	12.275	3490	3494	3496	rBV5	1496	1367	0.03%	0.007%
75	12.288	3496	3498	3502	rVV5	1365	970	0.02%	0.005%
76	12.612	3593	3599	3601	rVB6	1935	2087	0.05%	0.011%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028797.D
 Acq On : 31 Oct 2022 21:56
 Operator : SY/MD
 Sample : N5321-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWN6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

77	12.789	3652	3654	3658	rVB4	1871	1026	0.03%	0.005%
78	12.812	3658	3661	3664	rBV5	1060	729	0.02%	0.004%
79	12.857	3671	3675	3676	rBV4	1130	748	0.02%	0.004%
80	12.947	3700	3703	3709	rBV7	1969	1891	0.05%	0.010%
81	13.088	3743	3747	3748	rBV4	1231	786	0.02%	0.004%
82	13.159	3767	3769	3771	rVB4	1788	643	0.02%	0.003%
83	13.175	3771	3774	3776	rVB4	1924	1172	0.03%	0.006%
84	13.365	3829	3833	3836	rBV6	1278	1276	0.03%	0.007%
85	13.439	3852	3856	3858	rVB5	1423	930	0.02%	0.005%
86	13.477	3866	3868	3870	rBV3	2071	1036	0.03%	0.005%
87	13.796	3964	3967	3968	rBV3	1374	840	0.02%	0.004%
88	13.837	3976	3980	3981	rBV4	1722	1154	0.03%	0.006%
89	13.869	3987	3990	3992	rBV4	1276	738	0.02%	0.004%
90	13.892	3992	3997	3999	rBV5	1739	1418	0.04%	0.008%
91	13.931	4007	4009	4012	rVB4	1179	661	0.02%	0.003%
92	13.988	4022	4027	4029	rBV6	1808	1456	0.04%	0.008%
93	14.062	4048	4050	4053	rBV3	2617	1626	0.04%	0.009%
94	14.101	4058	4062	4064	rVV5	1607	1113	0.03%	0.006%
95	14.111	4064	4065	4069	rVB4	2444	1268	0.03%	0.007%
96	14.448	4167	4170	4173	rVB4	1492	910	0.02%	0.005%
97	14.464	4173	4175	4177	rBV3	1214	631	0.02%	0.003%
98	14.487	4180	4182	4185	rBV4	1369	865	0.02%	0.005%
99	14.905	4306	4312	4314	rBV7	2206	2291	0.06%	0.012%
100	15.422	4471	4473	4475	rBV3	2243	953	0.02%	0.005%




Sum of corrected areas: 18894555

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028797.D
Acq On : 31 Oct 2022 21:56
Operator : SY/MD
Sample : N5321-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWN6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028797.D
Acq On : 31 Oct 2022 21:56
Operator : SY/MD
Sample : N5321-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWN6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028797.D
Acq On : 31 Oct 2022 21:56
Operator : SY/MD
Sample : N5321-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWN6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc