

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028799.D
 Acq On : 31 Oct 2022 22:44
 Operator : SY/MD
 Sample : N5321-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWR7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028799.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	76	83	100	rBV2	204654	229366	11.84%	1.542%
2	1.564	157	163	182	rVB	200174	238804	12.33%	1.605%
3	2.105	322	331	343	rVB	371100	532655	27.51%	3.581%
4	2.355	406	409	412	rBV4	2134	1610	0.08%	0.011%
5	2.693	512	514	519	rVB5	1951	1463	0.08%	0.010%
6	2.757	523	534	550	rBV	152907	272808	14.09%	1.834%
7	2.986	602	605	607	rBV4	1565	787	0.04%	0.005%
8	3.201	669	672	675	rBV5	1830	1144	0.06%	0.008%
9	3.365	721	723	725	rBV3	1168	655	0.03%	0.004%
10	3.378	725	727	732	rVB6	2161	1535	0.08%	0.010%
11	3.404	732	735	739	rBV5	1239	1037	0.05%	0.007%
12	3.439	743	746	749	rBV5	1681	1148	0.06%	0.008%
13	3.455	749	751	755	rVB5	1502	968	0.05%	0.007%
14	3.481	755	759	762	rVB6	1424	1227	0.06%	0.008%
15	3.606	795	798	800	rBV4	1332	842	0.04%	0.006%
16	3.648	809	811	812	rBV2	1456	724	0.04%	0.005%
17	3.822	864	865	868	rVB3	1649	744	0.04%	0.005%
18	3.902	872	890	934	rVV2	667694	1936464	100.00%	13.019%
19	4.342	1014	1027	1051	rVB2	236226	574829	29.68%	3.864%
20	4.786	1163	1165	1167	rBV3	1121	681	0.04%	0.005%
21	4.918	1203	1206	1209	rBV5	1580	957	0.05%	0.006%
22	4.953	1213	1217	1221	rBV6	1572	1438	0.07%	0.010%
23	5.040	1228	1244	1268	rBV2	594475	1563243	80.73%	10.509%
24	5.330	1332	1334	1339	rVB6	1998	1212	0.06%	0.008%
25	5.561	1405	1406	1409	rBV3	985	633	0.03%	0.004%
26	5.612	1410	1422	1451	rVV	506402	1033282	53.36%	6.947%
27	5.850	1493	1496	1499	rBV4	1760	1391	0.07%	0.009%
28	5.908	1502	1514	1540	rVV	580840	1154127	59.60%	7.759%
29	6.066	1551	1563	1583	rBV	359779	729862	37.69%	4.907%
30	6.474	1687	1690	1693	rBV5	1852	1272	0.07%	0.009%
31	6.748	1773	1775	1778	rBV4	1726	701	0.04%	0.005%
32	6.799	1789	1791	1795	rVB5	1589	1071	0.06%	0.007%
33	6.821	1795	1798	1802	rVB6	1393	1060	0.05%	0.007%
34	6.937	1830	1834	1836	rBV4	1716	1163	0.06%	0.008%
35	6.982	1838	1848	1865	rBV	166192	302959	15.64%	2.037%
36	7.310	1939	1950	1978	rBV	663657	1166162	60.22%	7.840%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028799.D
 Acq On : 31 Oct 2022 22:44
 Operator : SY/MD
 Sample : N5321-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWR7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	7.619	2036	2046	2069	rBV	104843	194316	10.03%	1.306%
38	7.886	2126	2129	2135	rVB9	3006	2737	0.14%	0.018%
39	7.918	2135	2139	2142	rBV5	3071	3190	0.16%	0.021%
40	8.085	2179	2191	2225	rBV	423925	859532	44.39%	5.779%
41	8.847	2417	2428	2453	rBV	743694	1225250	63.27%	8.237%
42	9.323	2572	2576	2579	rBV6	2030	1849	0.10%	0.012%
43	9.445	2609	2614	2615	rBV4	2258	1800	0.09%	0.012%
44	9.599	2658	2662	2663	rBV4	1363	830	0.04%	0.006%
45	9.696	2687	2692	2695	rBV5	1116	953	0.05%	0.006%
46	9.712	2695	2697	2700	rBV4	1920	1363	0.07%	0.009%
47	9.760	2709	2712	2716	rBV5	2121	1808	0.09%	0.012%
48	9.972	2775	2778	2780	rBV3	1287	783	0.04%	0.005%
49	10.014	2788	2791	2794	rBV4	1636	1087	0.06%	0.007%
50	10.040	2797	2799	2801	rBV3	2156	1173	0.06%	0.008%
51	10.085	2810	2813	2816	rBV4	1895	1640	0.08%	0.011%
52	10.207	2839	2851	2877	rBV	462971	745936	38.52%	5.015%
53	10.416	2914	2916	2920	rVB4	1693	953	0.05%	0.006%
54	10.435	2920	2922	2924	rBV3	1423	925	0.05%	0.006%
55	10.461	2928	2930	2933	rVB3	1282	726	0.04%	0.005%
56	10.484	2933	2937	2938	rBV5	1293	912	0.05%	0.006%
57	10.580	2965	2967	2970	rBV3	1450	1017	0.05%	0.007%
58	10.648	2985	2988	2991	rBV5	1011	880	0.05%	0.006%
59	10.760	3021	3023	3025	rVB4	1910	822	0.04%	0.006%
60	10.779	3025	3029	3030	rBV4	1666	999	0.05%	0.007%
61	10.792	3030	3033	3036	rBV5	970	719	0.04%	0.005%
62	10.866	3053	3056	3057	rBV3	1667	879	0.05%	0.006%
63	10.927	3073	3075	3079	rBV5	1856	956	0.05%	0.006%
64	11.034	3106	3108	3110	rBV3	1406	694	0.04%	0.005%
65	11.185	3153	3155	3159	rBV4	1856	1070	0.06%	0.007%
66	11.239	3162	3172	3198	rVV	662597	1058301	54.65%	7.115%
67	11.516	3252	3258	3259	rBV5	2564	2176	0.11%	0.015%
68	11.615	3278	3289	3310	rBV	606579	957232	49.43%	6.435%
69	11.812	3346	3350	3352	rBV5	1429	963	0.05%	0.006%
70	11.905	3373	3379	3382	rBV7	2338	3116	0.16%	0.021%
71	11.960	3394	3396	3400	rBV5	1391	834	0.04%	0.006%
72	12.172	3459	3462	3464	rBV4	1531	1177	0.06%	0.008%
73	12.204	3470	3472	3474	rVB3	2303	1003	0.05%	0.007%
74	12.413	3531	3537	3538	rBV6	1516	1130	0.06%	0.008%
75	12.532	3571	3574	3577	rBV5	1992	1467	0.08%	0.010%
76	12.596	3592	3594	3599	rVB5	2529	1696	0.09%	0.011%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
 Data File : VV028799.D
 Acq On : 31 Oct 2022 22:44
 Operator : SY/MD
 Sample : N5321-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWR7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

77	12.709	3626	3629	3630	rBV3	1915	1104	0.06%	0.007%
78	12.738	3635	3638	3642	rBV5	1564	1299	0.07%	0.009%
79	12.789	3650	3654	3656	rBV6	1644	1324	0.07%	0.009%
80	12.879	3679	3682	3683	rBV3	1816	818	0.04%	0.005%
81	12.902	3688	3689	3692	rVV2	1397	834	0.04%	0.006%
82	12.937	3696	3700	3702	rVB5	1155	818	0.04%	0.005%
83	13.024	3721	3727	3728	rBV6	1421	1609	0.08%	0.011%
84	13.078	3742	3744	3747	rBV3	1670	744	0.04%	0.005%
85	13.156	3764	3768	3770	rBV4	1601	1468	0.08%	0.010%
86	13.287	3806	3809	3811	rBV3	1582	842	0.04%	0.006%
87	13.320	3816	3819	3820	rBV2	1727	992	0.05%	0.007%
88	13.577	3891	3899	3901	rBV7	2717	2966	0.15%	0.020%
89	13.635	3914	3917	3919	rBV4	1316	671	0.03%	0.005%
90	13.648	3919	3921	3924	rVV4	1264	785	0.04%	0.005%
91	14.001	4026	4031	4035	rBV6	2298	2526	0.13%	0.017%
92	14.220	4096	4099	4102	rVB5	1574	1205	0.06%	0.008%
93	14.249	4102	4108	4111	rBV8	2132	2201	0.11%	0.015%
94	14.429	4160	4164	4165	rBV4	1496	1028	0.05%	0.007%
95	14.525	4192	4194	4196	rBV3	1259	658	0.03%	0.004%
96	14.596	4214	4216	4218	rBV3	1675	639	0.03%	0.004%
97	14.648	4229	4232	4236	rBV5	1958	1613	0.08%	0.011%
98	14.731	4256	4258	4260	rBV3	1475	843	0.04%	0.006%
99	14.815	4281	4284	4288	rBV6	1705	1659	0.09%	0.011%
100	15.111	4374	4376	4378	rBV4	1722	1041	0.05%	0.007%




Sum of corrected areas: 14874605

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028799.D
Acq On : 31 Oct 2022 22:44
Operator : SY/MD
Sample : N5321-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWR7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028799.D
Acq On : 31 Oct 2022 22:44
Operator : SY/MD
Sample : N5321-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWR7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103122\
Data File : VV028799.D
Acq On : 31 Oct 2022 22:44
Operator : SY/MD
Sample : N5321-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWR7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc