

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW103123\
 Data File : VW032807.D
 Acq On : 31 Oct 2023 18:35
 Operator : SY/MD
 Sample : 05105-16
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0012

Quant Time: Nov 01 05:51:15 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 01 05:44:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	349619	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	388192	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	180333	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	139058	41.818	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.640%
7) Chloroethane-d5	1.532	69	120772	43.425	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.860%
11) 1,1-Dichloroethene-d2	2.060	65	59118	43.042	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.080%
21) 2-Butanone-d5	3.786	46	126959	88.021	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.020%
24) Chloroform-d	4.252	84	232404	43.785	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.580%
26) 1,2-Dichloroethane-d4	4.944	65	148069	44.885	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.760%
32) Benzene-d6	4.963	84	448771	44.963	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.920%
36) 1,2-Dichloropropane-d6	5.989	67	139743	46.085	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.160%
41) Toluene-d8	7.246	98	435274	44.290	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.580%
43) trans-1,3-Dichloroprop...	7.555	79	68320	43.261	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.520%
47) 2-Hexanone-d5	8.027	63	95686	86.437	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.440%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	199467	43.349	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.700%
66) 1,2-Dichlorobenzene-d4	11.564	152	174378	50.179	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.360%
Target Compounds						
					Qvalue	
34) Trichloroethene	5.834	95	83998	29.314	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV103123\
Data File : VV032807.D
Acq On : 31 Oct 2023 18:35
Operator : SY/MD
Sample : 05105-16
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0012

Quant Time: Nov 01 05:51:15 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 01 05:44:49 2023
Response via : Initial Calibration

