

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110121\
 Data File : VW023117.D
 Acq On : 01 Nov 2021 15:20
 Operator : SY/MD
 Sample : M4400-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG332

Quant Time: Nov 02 01:16:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 02 01:11:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	126823	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	127481	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	61470	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	30984	2.796	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	56.000%	
7) Chloroethane-d5	1.568	69	29897	4.361	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	87.200%	
11) 1,1-Dichloroethene-d2	2.108	63	49527	3.098	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	62.000%	
20) 2-Butanone-d5	3.886	46	106669	60.003	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	120.000%	
24) Chloroform-d	4.352	84	90173	5.005	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	100.200%	
26) 1,2-Dichloroethane-d4	5.034	65	43127	5.078	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	101.600%	
32) Benzene-d6	5.053	84	168259	4.521	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.400%	
36) 1,2-Dichloropropane-d6	6.072	67	53782	4.694	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.800%	
41) Toluene-d8	7.317	98	144514	4.323	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.400%	
43) trans-1,3-Dichloroprop...	7.625	79	19367	4.825	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	96.400%	
46) 2-Hexanone-d5	8.088	63	84003	56.521	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	113.040%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	39485	4.991	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	99.800%	
66) 1,2-Dichlorobenzene-d4	11.625	152	58255	5.312	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	106.200%	
Target Compounds						Qvalue
13) Acetone	2.178	43	3850	4.414	ug/L	92
42) Toluene	7.400	91	4504	0.130	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110121\
Data File : VV023117.D
Acq On : 01 Nov 2021 15:20
Operator : SY/MD
Sample : M4400-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG332

Quant Time: Nov 02 01:16:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 02 01:11:36 2021
Response via : Initial Calibration

