

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110121\
 Data File : VW023122.D
 Acq On : 01 Nov 2021 17:19
 Operator : SY/MD
 Sample : M4400-08
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG343

Quant Time: Nov 02 01:17:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 02 01:11:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	126025	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	125778	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	57744	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	29605	2.688	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	53.800%	
7) Chloroethane-d5	1.568	69	28921	4.246	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	85.000%	
11) 1,1-Dichloroethene-d2	2.108	63	46876	2.951	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	59.000%#	
20) 2-Butanone-d5	3.883	46	89675	50.763	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	101.520%	
24) Chloroform-d	4.352	84	88006	4.916	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.400%	
26) 1,2-Dichloroethane-d4	5.037	65	40546	4.805	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.000%	
32) Benzene-d6	5.053	84	159915	4.355	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.000%	
36) 1,2-Dichloropropane-d6	6.072	67	50708	4.486	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	89.800%	
41) Toluene-d8	7.320	98	137349	4.164	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	83.200%	
43) trans-1,3-Dichloroprop...	7.628	79	18009	4.547	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	91.000%	
46) 2-Hexanone-d5	8.088	63	71466	48.736	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	97.480%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	36189	4.636	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.800%	
66) 1,2-Dichlorobenzene-d4	11.625	152	55139	5.352	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	107.000%	
Target Compounds						
					Qvalue	
13) Acetone	2.172	43	3271	3.774	ug/L	70
42) Toluene	7.397	91	7883	0.230	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110121\
Data File : VV023122.D
Acq On : 01 Nov 2021 17:19
Operator : SY/MD
Sample : M4400-08
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG343

Quant Time: Nov 02 01:17:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 02 01:11:36 2021
Response via : Initial Calibration

