

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110121\
 Data File : VW023124.D
 Acq On : 01 Nov 2021 18:07
 Operator : SY/MD
 Sample : M4400-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG345

Quant Time: Nov 02 01:17:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 02 01:11:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	128697	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	127287	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	60067	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	29353	2.610	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	52.200%	
7) Chloroethane-d5	1.567	69	28629	4.116	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	82.400%	
11) 1,1-Dichloroethene-d2	2.108	63	46020	2.837	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	56.800%#	
20) 2-Butanone-d5	3.882	46	86465	47.930	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	95.860%	
24) Chloroform-d	4.352	84	86882	4.752	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.000%	
26) 1,2-Dichloroethane-d4	5.034	65	40660	4.718	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.400%	
32) Benzene-d6	5.053	84	161010	4.333	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.600%	
36) 1,2-Dichloropropane-d6	6.072	67	50149	4.384	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	87.600%	
41) Toluene-d8	7.320	98	137844	4.129	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	82.600%	
43) trans-1,3-Dichloroprop...	7.625	79	18155	4.529	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	90.600%	
46) 2-Hexanone-d5	8.088	63	72502	48.857	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	97.720%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	35903	4.545	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	91.000%	
66) 1,2-Dichlorobenzene-d4	11.625	152	54749	5.108	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	102.200%	
Target Compounds						
					Qvalue	
13) Acetone	2.172	43	2664	3.010	ug/L	75
42) Toluene	7.400	91	5804	0.167	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110121\
Data File : VV023124.D
Acq On : 01 Nov 2021 18:07
Operator : SY/MD
Sample : M4400-10
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG345

Quant Time: Nov 02 01:17:35 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 02 01:11:36 2021
Response via : Initial Calibration

