

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
 Data File : VV023143.D
 Acq On : 02 Nov 2021 13:12
 Operator : SY/MD
 Sample : M4400-14
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG348

Quant Time: Nov 02 22:41:50 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 02 22:38:58 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	125453	5.000	ug/L	0.01
28) Chlorobenzene-d5	8.854	117	125738	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	59376	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	47822	4.362	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.200%	
7) Chloroethane-d5	1.568	69	37346	5.508	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	110.200%	
11) 1,1-Dichloroethene-d2	2.108	63	63560	4.019	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	80.400%	
20) 2-Butanone-d5	3.886	46	82235	46.764	ug/L	-0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	93.520%	
24) Chloroform-d	4.352	84	90845	5.098	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.000%	
26) 1,2-Dichloroethane-d4	5.037	65	42615	5.073	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	101.400%	
32) Benzene-d6	5.053	84	177655	4.840	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	96.800%	
36) 1,2-Dichloropropane-d6	6.072	67	53096	4.698	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.000%	
41) Toluene-d8	7.320	98	153900	4.667	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.400%	
43) trans-1,3-Dichloroprop...	7.625	79	17834	4.504	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	90.000%	
46) 2-Hexanone-d5	8.091	63	67130	45.794	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	91.580%	
56) 1,1,2,2-Tetrachloroeth...	10.220	84	34036	4.362	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	87.200%	
66) 1,2-Dichlorobenzene-d4	11.625	152	57541	5.431	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	108.600%	
Target Compounds						
					Qvalue	
13) Acetone	2.175	43	4479	5.191	ug/L	98
42) Toluene	7.400	91	4658	0.136	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
Data File : VV023143.D
Acq On : 02 Nov 2021 13:12
Operator : SY/MD
Sample : M4400-14
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG348

Quant Time: Nov 02 22:41:50 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 02 22:38:58 2021
Response via : Initial Calibration

