

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
 Data File : VV023182.D
 Acq On : 03 Nov 2021 13:07
 Operator : SY/MD
 Sample : M4400-13
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 78 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Nov 07 01:03:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 02 23:31:16 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	118595	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	119233	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	58475	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	40385	3.897	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	78.000%	
7) Chloroethane-d5	1.568	69	34479	5.379	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	107.600%	
11) 1,1-Dichloroethene-d2	2.108	63	58224	3.895	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	77.800%	
20) 2-Butanone-d5	3.905	46	83831	50.428	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	100.860%	
24) Chloroform-d	4.349	84	86027	5.106	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.200%	
26) 1,2-Dichloroethane-d4	5.034	65	41195	5.187	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	103.800%	
32) Benzene-d6	5.050	84	168658	4.845	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	97.000%	
36) 1,2-Dichloropropane-d6	6.069	67	49896	4.656	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.200%	
41) Toluene-d8	7.317	98	146233	4.677	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.600%	
43) trans-1,3-Dichloroprop...	7.625	79	18585	4.950	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	99.000%	
46) 2-Hexanone-d5	8.092	63	68642	49.380	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.760%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	33790	4.567	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	91.400%	
66) 1,2-Dichlorobenzene-d4	11.625	152	56269	5.393	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	107.800%	
Target Compounds					Qvalue	
42) Toluene	7.404	91	2725	0.084	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
Data File : VV023182.D
Acq On : 03 Nov 2021 13:07
Operator : SY/MD
Sample : M4400-13
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 78 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Nov 07 01:03:42 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 02 23:31:16 2021
Response via : Initial Calibration

