

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110221\
 Data File : VW023166.D
 Acq On : 02 Nov 2021 22:38
 Operator : SY/MD
 Sample : M4412-21
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG375

Quant Time: Nov 02 23:35:36 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 02 23:31:16 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	119025	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	120122	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	56672	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	42554	4.091	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	81.800%	
7) Chloroethane-d5	1.568	69	34485	5.360	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	107.200%	
11) 1,1-Dichloroethene-d2	2.111	63	58001	3.866	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	77.400%	
20) 2-Butanone-d5	3.886	46	79932	47.909	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	95.820%	
24) Chloroform-d	4.352	84	86813	5.134	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.600%	
26) 1,2-Dichloroethane-d4	5.037	65	41200	5.169	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	103.400%	
32) Benzene-d6	5.053	84	166197	4.739	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.800%	
36) 1,2-Dichloropropane-d6	6.072	67	50905	4.715	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.400%	
41) Toluene-d8	7.317	98	143620	4.559	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	91.200%	
43) trans-1,3-Dichloroprop...	7.625	79	17467	4.618	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	92.400%	
46) 2-Hexanone-d5	8.088	63	66882	47.758	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	95.520%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	32762	4.395	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	87.800%	
66) 1,2-Dichlorobenzene-d4	11.625	152	54959	5.435	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	108.800%	
Target Compounds					Qvalue	
13) Acetone	2.175	43	4867	5.946	ug/L	89
42) Toluene	7.397	91	5801	0.177	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
Data File : VV023166.D
Acq On : 02 Nov 2021 22:38
Operator : SY/MD
Sample : M4412-21
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 62 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG375

Quant Time: Nov 02 23:35:36 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 02 23:31:16 2021
Response via : Initial Calibration





#13

Acetone

Concen: 5.946 ug/L

RT: 2.175 min Scan# 31

Delta R.T. -0.016 min

Lab File: VV023166.D

Acq: 02 Nov 2021 22:38

Instrument :

MSVOA_V

ClientSampleId :





BG375

Tgt Ion: 43 Resp: 4867

Ion Ratio Lower Upper

43 100

58 33.3 0.0 55.4



#42

Toluene

Concen: 0.177 ug/L

RT: 7.397 min Scan# 1977

Delta R.T. 0.006 min

Lab File: VV023166.D

Acq: 02 Nov 2021 22:38

Tgt Ion: 91 Resp: 5801

Ion Ratio Lower Upper

91 100

92 52.8 39.3 72.9

