

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
 Data File : VV023141.D
 Acq On : 02 Nov 2021 12:26
 Operator : SY/MD
 Sample : M4412-12
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG368

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
 Title : TRACE VOA SFAM1.0

Signal : TIC: VV023141.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	75	83	94	rVB	82845	87213	18.20%	1.936%
2	1.568	156	164	177	rBV	63821	72011	15.03%	1.599%
3	1.632	178	184	195	rVB3	6331	9024	1.88%	0.200%
4	2.108	321	332	345	rBV	125507	182413	38.07%	4.050%
5	3.889	875	886	918	rBV	43210	135113	28.20%	3.000%
6	4.349	1014	1029	1059	rBV2	82218	211085	44.06%	4.687%
7	4.680	1123	1132	1144	rVB9	2498	6023	1.26%	0.134%
8	5.050	1230	1247	1259	rBV2	192540	479126	100.00%	10.638%
9	5.619	1413	1424	1449	rBV	139445	284160	59.31%	6.309%
10	6.072	1552	1565	1581	rBV	109424	223219	46.59%	4.956%
11	6.989	1840	1850	1874	rBV	50692	97222	20.29%	2.159%
12	7.317	1941	1952	1965	rBV	227762	399204	83.32%	8.864%
13	7.391	1965	1975	1997	rVB	161479	286809	59.86%	6.368%
14	7.625	2039	2048	2066	rBV2	31090	56172	11.72%	1.247%
15	8.092	2183	2193	2221	rBV	195447	356901	74.49%	7.925%
16	8.439	2291	2301	2311	rVB5	5421	9463	1.98%	0.210%
17	8.854	2419	2430	2451	rBV	224294	365597	76.30%	8.118%
18	9.018	2469	2481	2491	rBV2	18733	33126	6.91%	0.736%
19	9.140	2507	2519	2536	rBV	63835	107482	22.43%	2.386%
20	9.545	2635	2645	2666	rBV2	48873	79725	16.64%	1.770%
21	10.217	2841	2854	2870	rBV	73552	115296	24.06%	2.560%
22	10.452	2917	2927	2943	rBV	13799	27298	5.70%	0.606%
23	10.542	2947	2955	2964	rBV3	7005	10446	2.18%	0.232%
24	10.741	3008	3017	3027	rBV2	7921	11246	2.35%	0.250%
25	10.918	3062	3072	3086	rBV2	32146	48919	10.21%	1.086%
26	11.249	3163	3175	3193	rBV	232474	363644	75.90%	8.074%
27	11.339	3193	3203	3214	rVB	12446	22655	4.73%	0.503%
28	11.532	3252	3263	3272	rBV4	14972	24837	5.18%	0.551%
29	11.625	3281	3292	3311	rVB	228154	357844	74.69%	7.945%
30	12.349	3503	3517	3528	rVB7	12347	18668	3.90%	0.414%
31	12.474	3545	3556	3564	rVB3	3609	5304	1.11%	0.118%
32	12.882	3675	3683	3694	rVB6	4820	7871	1.64%	0.175%
33	13.506	3870	3877	3893	rVV3	5040	8641	1.80%	0.192%


Sum of corrected areas: 4503757

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
Data File : VV023141.D
Acq On : 02 Nov 2021 12:26
Operator : SY/MD
Sample : M4412-12
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG368

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
Data File : VV023141.D
Acq On : 02 Nov 2021 12:26
Operator : SY/MD
Sample : M4412-12
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG368

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110221\
Data File : VV023141.D
Acq On : 02 Nov 2021 12:26
Operator : SY/MD
Sample : M4412-12
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG368

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc