

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110222\
 Data File : VW028842.D
 Acq On : 02 Nov 2022 15:33
 Operator : SY/MD
 Sample : N5301-16
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK002

Quant Time: Nov 03 03:31:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 02 05:10:28 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	399593	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	368117	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.243	152	155059	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	141891	37.458	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	74.920%	
7) Chloroethane-d5	1.564	69	140467	43.378	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	86.760%	
11) 1,1-Dichloroethene-d2	2.207	63	146	0.020	ug/L	0.10
Spiked Amount	50.000	Range 60 - 125	Recovery	=	0.040%#	
21) 2-Butanone-d5	3.876	46	266792	96.753	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	96.750%	
24) Chloroform-d	4.342	84	240988	42.181	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	84.360%	
26) 1,2-Dichloroethane-d4	5.024	65	174096	46.076	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	92.160%	
32) Benzene-d6	5.047	84	496243	43.182	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.360%	
36) 1,2-Dichloropropane-d6	6.066	67	180567	45.768	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	91.540%	
41) Toluene-d8	7.310	98	409407	40.525	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	81.060%	
43) trans-1,3-Dichloroprop...	7.619	79	60205	39.732	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	79.460%	
47) 2-Hexanone-d5	8.085	63	159282	89.338	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	89.340%	
56) 1,1,2,2-Tetrachloroeth...	10.207	84	233284	44.841	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	89.680%	
66) 1,2-Dichlorobenzene-d4	11.615	152	140097	45.772	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	91.540%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110222\
Data File : VV028842.D
Acq On : 02 Nov 2022 15:33
Operator : SY/MD
Sample : N5301-16
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK002

Quant Time: Nov 03 03:31:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 02 05:10:28 2022
Response via : Initial Calibration

