

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV110320\
 Data File : VV019215.D
 Acq On : 02 Nov 2020 22:08
 Operator : SY/MD
 Sample : VV1103WBL02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK305

Quant Time: Nov 03 05:57:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SFAMVLM110320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 03 05:28:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	241523	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	234407	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.27	152	117391	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	88838	47.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.32%
7) Chloroethane-d5	1.58	69	74831	51.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	102.46%
11) 1,1-Dichloroethene-d2	2.12	63	135831	39.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.72%
21) 2-Butanone-d5	3.91	46	108973	106.03	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.03%
24) Chloroform-d	4.38	84	166838	47.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.66%
26) 1,2-Dichloroethane-d4	5.06	65	120597	49.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.22%
32) Benzene-d6	5.07	84	320176	49.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.94%
36) 1,2-Dichloropropane-d6	6.09	67	97813	50.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.22%
41) Toluene-d8	7.34	98	288227	47.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.60%
43) trans-1,3-Dichloropropene-	7.64	79	52695	48.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.32%
47) 2-Hexanone-d5	8.11	63	74080	98.74	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.74%
56) 1,1,2,2-Tetrachloroethane-	10.23	84	120390	46.75	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.50%
66) 1,2-Dichlorobenzene-d4	11.65	152	122486	52.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.30%

Target Compounds					Ovalue
42) Toluene	7.42	91	2351	0.373 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV110320\
Data File : VV019215.D
Acq On : 02 Nov 2020 22:08
Operator : SY/MD
Sample : VV1103WBL02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK305

Quant Time: Nov 03 05:57:43 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SFAMVLM110320WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 03 05:28:09 2020
Response via : Initial Calibration

