

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV110320\
 Data File : VV019216.D
 Acq On : 02 Nov 2020 22:31
 Operator : SY/MD
 Sample : VV1103WBL03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK306

Quant Time: Nov 03 06:01:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SFAMVLM110320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 03 05:28:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	236085	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	225132	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.27	152	112172	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	88855	48.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.54%
7) Chloroethane-d5	1.58	69	75031	52.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.10%
11) 1,1-Dichloroethene-d2	2.12	63	137205	40.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.34%
21) 2-Butanone-d5	3.91	46	107682	107.19	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.19%
24) Chloroform-d	4.38	84	168307	49.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.72%
26) 1,2-Dichloroethane-d4	5.06	65	121796	51.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.52%
32) Benzene-d6	5.07	84	322885	51.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.88%
36) 1,2-Dichloropropane-d6	6.09	67	98103	52.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.72%
41) Toluene-d8	7.34	98	290187	50.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.22%
43) trans-1,3-Dichloropropene-	7.64	79	53544	50.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.90%
47) 2-Hexanone-d5	8.11	63	73388	101.85	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.85%
56) 1,1,2,2-Tetrachloroethane-	10.23	84	120992	48.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.84%
66) 1,2-Dichlorobenzene-d4	11.65	152	121417	54.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.20%

Target Compounds					Ovalue
42) Toluene	7.41	91	2386	0.395 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV110320\
Data File : VV019216.D
Acq On : 02 Nov 2020 22:31
Operator : SY/MD
Sample : VV1103WBL03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK306

Quant Time: Nov 03 06:01:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SFAMVLM110320WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 03 05:28:09 2020
Response via : Initial Calibration

