

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV110419\
 Data File : VV013477.D
 Acq On : 04 Nov 2019 16:10
 Operator : SY/MD
 Sample : VV1104WBL01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK46

Quant Time: Nov 05 07:23:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR103119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 05 07:17:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	385433	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	409514	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	211441	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	145045	5.11	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.20%
7) Chloroethane-d5	1.58	69	125066	5.29	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	105.80%
11) 1,1-Dichloroethene-d2	2.13	63	195559	3.85	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.00%
20) 2-Butanone-d5	3.96	46	435232	49.45	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.90%
24) Chloroform-d	4.40	84	340116	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.80%
26) 1,2-Dichloroethane-d4	5.08	65	176407	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.60%
32) Benzene-d6	5.09	84	700160	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.40%
36) 1,2-Dichloropropane-d6	6.11	67	224331	5.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.60%
41) Toluene-d8	7.36	98	598406	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
43) trans-1,3-Dichloropropene-	7.66	79	77129	4.53	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.60%
46) 2-Hexanone-d5	8.13	63	251366	40.12	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.24%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	138681	4.25	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.00%
64) 1,2-Dichlorobenzene-d4	11.67	152	235546	5.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.60%

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV110419\
Data File : VV013477.D
Acq On : 04 Nov 2019 16:10
Operator : SY/MD
Sample : VV1104WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK46

Quant Time: Nov 05 07:23:50 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR103119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 05 07:17:32 2019
Response via : Initial Calibration

