

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110423\
 Data File : VV032841.D
 Acq On : 03 Nov 2023 10:37
 Operator : SY/MD
 Sample : 05226-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCGD0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Title : VOC Analysis

Signal : TIC: VV032841.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	69	75	88	rVB	214289	224323	15.17%	2.046%
2	1.535	147	154	168	rVB	188970	218277	14.76%	1.991%
3	2.063	309	318	329	rBV	368257	522014	35.31%	4.762%
4	2.445	434	437	438	rBV3	1608	974	0.07%	0.009%
5	2.516	455	459	460	rBV3	1146	586	0.04%	0.005%
6	2.809	548	550	553	rBV4	1915	1262	0.09%	0.012%
7	2.825	553	555	557	rVB3	1679	635	0.04%	0.006%
8	2.844	558	561	564	rBV5	1277	1035	0.07%	0.009%
9	2.902	577	579	580	rBV2	1544	685	0.05%	0.006%
10	2.944	589	592	595	rBV5	1577	1191	0.08%	0.011%
11	3.005	607	611	613	rBV5	1501	1165	0.08%	0.011%
12	3.108	640	643	644	rBV3	2121	1063	0.07%	0.010%
13	3.143	651	654	655	rBV3	892	364	0.02%	0.003%
14	3.301	701	703	705	rBV3	1679	1108	0.07%	0.010%
15	3.355	715	720	722	rBV7	2035	1685	0.11%	0.015%
16	3.461	750	753	756	rBV5	1271	842	0.06%	0.008%
17	3.503	764	766	767	rBV2	795	415	0.03%	0.004%
18	3.642	807	809	811	rVB3	1389	570	0.04%	0.005%
19	3.658	811	814	817	rBV4	1030	662	0.04%	0.006%
20	3.674	817	819	820	rBV2	1077	465	0.03%	0.004%
21	3.706	828	829	833	rBV4	1084	743	0.05%	0.007%
22	3.751	837	843	844	rBV6	2043	1779	0.12%	0.016%
23	3.789	845	855	884	rBV	89093	262728	17.77%	2.397%
24	4.082	943	946	952	rBV8	2006	1564	0.11%	0.014%
25	4.252	986	999	1019	rBV	240473	604261	40.87%	5.512%
26	4.780	1161	1163	1165	rBV3	1982	1093	0.07%	0.010%
27	4.834	1177	1180	1183	rBV5	1448	1382	0.09%	0.013%
28	4.850	1183	1185	1187	rVV3	1256	500	0.03%	0.005%
29	4.960	1203	1219	1236	rBV2	556822	1478496	100.00%	13.487%
30	5.539	1387	1399	1414	rBV	317084	664869	44.97%	6.065%
31	5.989	1528	1539	1570	rBV	328313	718505	48.60%	6.554%
32	6.539	1708	1710	1714	rBV5	1667	1427	0.10%	0.013%
33	6.857	1804	1809	1812	rBV7	1585	1342	0.09%	0.012%
34	6.876	1812	1815	1817	rBV4	1773	1449	0.10%	0.013%
35	6.915	1817	1827	1856	rVV	172185	346766	23.45%	3.163%
36	7.246	1919	1930	1955	rBV	666545	1241622	83.98%	11.327%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110423\
 Data File : VV032841.D
 Acq On : 03 Nov 2023 10:37
 Operator : SY/MD
 Sample : 05226-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCGD0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
 Title : VOC Analysis

37	7.555	2017	2026	2049	rBV	124795	236778	16.01%	2.160%
38	7.876	2114	2126	2136	rBV3	16623	35043	2.37%	0.320%
39	8.027	2163	2173	2213	rBV	297909	632852	42.80%	5.773%
40	8.317	2262	2263	2265	rBV2	1572	530	0.04%	0.005%
41	8.654	2366	2368	2372	rBV5	1794	1073	0.07%	0.010%
42	8.786	2399	2409	2431	rBV	541727	916571	61.99%	8.361%
43	9.239	2548	2550	2553	rBV3	1286	603	0.04%	0.006%
44	9.323	2574	2576	2577	rBV2	1243	594	0.04%	0.005%
45	9.596	2657	2661	2662	rVB4	1060	653	0.04%	0.006%
46	9.786	2717	2720	2724	rBV5	1379	1281	0.09%	0.012%
47	9.831	2732	2734	2735	rBV2	1463	490	0.03%	0.004%
48	9.915	2757	2760	2763	rBV4	1738	1148	0.08%	0.010%
49	9.979	2777	2780	2782	rBV4	1295	1030	0.07%	0.009%
50	10.034	2795	2797	2800	rBV3	1023	405	0.03%	0.004%
51	10.104	2817	2819	2822	rBV4	1303	823	0.06%	0.008%
52	10.153	2823	2834	2854	rVV	462793	750599	50.77%	6.847%
53	10.326	2881	2888	2899	rBV2	17889	27746	1.88%	0.253%
54	10.715	3005	3009	3013	rBV6	1950	1523	0.10%	0.014%
55	10.747	3015	3019	3022	rBV6	1665	1125	0.08%	0.010%
56	10.931	3074	3076	3077	rBV2	1194	427	0.03%	0.004%
57	11.062	3115	3117	3119	rBV3	1036	486	0.03%	0.004%
58	11.088	3122	3125	3126	rBV3	1479	753	0.05%	0.007%
59	11.188	3145	3156	3175	rBV	530237	825649	55.84%	7.532%
60	11.480	3246	3247	3249	rBV3	862	333	0.02%	0.003%
61	11.503	3252	3254	3256	rBV3	861	413	0.03%	0.004%
62	11.561	3260	3272	3290	rBV	739494	1166189	78.88%	10.638%
63	11.824	3353	3354	3356	rBV2	1521	732	0.05%	0.007%
64	12.374	3523	3525	3530	rBV6	1669	1120	0.08%	0.010%
65	12.419	3538	3539	3543	rVB4	1201	346	0.02%	0.003%
66	12.503	3563	3565	3567	rBV3	1449	774	0.05%	0.007%
67	12.574	3584	3587	3588	rBV3	1449	902	0.06%	0.008%
68	12.651	3604	3611	3612	rBV7	1725	1997	0.14%	0.018%
69	12.722	3631	3633	3636	rBV4	918	437	0.03%	0.004%
70	12.886	3682	3684	3687	rVB4	1510	655	0.04%	0.006%
71	12.898	3687	3688	3689	rBV2	823	266	0.02%	0.002%
72	12.927	3695	3697	3698	rBV2	724	254	0.02%	0.002%
73	13.030	3725	3729	3741	rVB	10583	13496	0.91%	0.123%
74	13.091	3741	3748	3749	rBV6	2807	2317	0.16%	0.021%
75	13.252	3796	3798	3800	rBV2	1962	736	0.05%	0.007%
76	13.287	3807	3809	3811	rBV3	1033	505	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110423\
 Data File : VV032841.D
 Acq On : 03 Nov 2023 10:37
 Operator : SY/MD
 Sample : 05226-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCGD0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M

Title : VOC Analysis

77	13.352	3827	3829	3833	rVB5	1701	921	0.06%	0.008%
78	13.377	3833	3837	3839	rVB4	2484	1820	0.12%	0.017%
79	13.397	3839	3843	3844	rBV3	1466	901	0.06%	0.008%
80	13.406	3844	3846	3851	rBV5	1494	669	0.05%	0.006%
81	13.448	3851	3859	3865	rBV9	5014	8329	0.56%	0.076%
82	13.586	3900	3902	3905	rBV3	1594	1163	0.08%	0.011%
83	13.693	3926	3935	3938	rBV3	4403	6463	0.44%	0.059%
84	13.934	4007	4010	4013	rBV4	1975	1205	0.08%	0.011%
85	14.329	4132	4133	4135	rBV2	1057	509	0.03%	0.005%
86	14.529	4193	4195	4197	rBV3	1357	767	0.05%	0.007%
87	14.561	4202	4205	4206	rBV2	1277	689	0.05%	0.006%
88	14.705	4248	4250	4252	rBV3	1204	496	0.03%	0.005%
89	15.049	4355	4357	4358	rBV2	1516	629	0.04%	0.006%




Sum of corrected areas: 10962062

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110423\
Data File : VV032841.D
Acq On : 03 Nov 2023 10:37
Operator : SY/MD
Sample : 05226-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCGD0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110423\
Data File : VV032841.D
Acq On : 03 Nov 2023 10:37
Operator : SY/MD
Sample : 05226-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCGD0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110423\
Data File : VV032841.D
Acq On : 03 Nov 2023 10:37
Operator : SY/MD
Sample : 05226-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCGD0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------